

Sidewalk Inventory

(7005)

Start Point: Halter Rd @ Camden Dr

End Point: MD 180

Direction of Increasing Station: LT & RT

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name: BT-302
Date: 4-17-14

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	0+00	8+12				
Champlaine Dr	0+00	1+19				
Future Entry	0+00	1+86	1+86		VC	
			1+86	1+94	CS	
	1+94	2+11				END @ MD 180
Halter Rd LT side	0+00	0+98	0+98	1+13	CS	
ST @ Dead End			0+98		VC	
	1+13	1+21				END @ MD 180

7005

Sidewalk Inventory

Start Point: MARYLAND AVE @ OLD NATIONAL PIKE

6985

End Point: Schley Ave

Direction of Increasing Station: LT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH, CM
Date: 4/17/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 2

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
2823 MD, AVE	0+00	0+05	0+05		VC	
	0+05	0+05	0+10		VC	
	0+10	0+10	0+55	0+60	CS	
			0+93		VC	
	0+60	1+14	1+14	1+68	CS	
	1+68	1+93	1+93	2+04	CS	
	2+04	2+33	2+33		VC	
	2+33	2+48	2+48		PO	
	2+48	2+57	2+57	2+67	CS	
	2+67	3+12	3+12	3+32	CS	
	3+32	3+57	3+57	—	VC	
			3+87	—	VC	
			3+92	—	VC	
		4+08	4+08	6+19	CS	END @ Schley Ave

6985

6978

Start Point: Schley Ave @ Maryland Ave

Sidewalk Inventory

End Point: Dead END

Direction of Increasing Station: LT

Inspector Name: BF302

Date: 4-17-14

Reason Codes for NON-COMPLIANCE:

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 2

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Maryland Ave	0+00	1+60	0+00	1+60	PO	Bushes full length
Alh @ E 470			0+00	0+46	CS	
	0+46	1+49	1+49	1+64	CS	
	1+64	2+63	2+63	2+84	CS	
	2+84	5+21				END @ Dead END

6978

6965

Sidewalk Inventory

Start Point: Winding Ridge Way Dead End

End Point: Baltimore Rd

Direction of Increasing Station: LT

Reason Codes for NON-COMPLIANCE:

Inspector Name: LH/24
Date: 6/11/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Dead end: L	0+00	0+30	0+30		PO	
	0+30	0+73	0+73	0+83	CS	
Little Spring Way	0+00	1+54	1+54	1+64	CS	
Bridge Spring Rd	0+00	4+74	4+74	7+90	CS	
	4+90	5+54	5+54	5+80	CS	
	5+80	9+89	9+89		VC	
	9+89	10+17	10+17		VC	
	10+17	10+30	10+30	10+50	CS	
BALTIMORE RD	10+50	13+00				

6965

10FZ

Start Point: JEFFERSON BLVD @ CHEST LA

6945a

End Point: 6649 JEFFERSON BLVD

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CM

Date: 4/17/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 30

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
6407 JEFFERSON BLVD	0+00	0+63	0+63		VC	BECK SIDEWALK
	0+63	0+65	0+65		VC	CONCRETE SW @ 0+65
	0+65	1+11	1+11		VC	
	1+11	1+16	1+16		VC	
	1+16	1+23	1+23		VC	
	1+23	1+93	1+93		VC	
	1+93	2+03	2+03	2+28	CS	
6411 JEFFERSON BLVD			2+16		DS	6411 END SIDEWALK
6617 JEFFERSON BLVD	0+00	0+25	0+25		VC	
	0+25	0+30	0+30	0+56	CS	
	0+56	0+84	0+84	0+89		SW MISSING
	0+89	1+46	1+46	1+69	CS	
	1+69	2+06				END @ 6623
6631 JEFFERSON BLVD	0+00	0+00	0+00	0+88	CS	

0+88

DS STONE DRIVEWAY

6945a

2052

Start Point: JEFFERSON BLVD @ CHERRY LA

(945b)

End Point: 6649 JEFFERSON BLVD.

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CM
Date: 4/17/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
6639 JEFFERSON BLVD	0+00	0+00	0+00	0+57	CS	DEAD END @ 6639
6641 JEFFERSON BLVD	0+57					DEAD END @ 6641
						NO SIDEWALK IN FRONT OF 6641
6643 JEFFERSON BLVD	0+00	0+00	0+00	1+75	CS	
			1+68		DS	6645
6649 JEFFERSON BLVD	1+75	2+29				END @ 6649

1694sb

Sidewalk Inventory

Start Point: JEFFERSON BLVD @ MARYLAND AVE

6935a

End Point: _____

Direction of Increasing Station: RT

corrected
version of
stationing
is in
electronic
version

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH, CM
Date: 4/17/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 3A

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>MARYLAND AVE</u> JEFFERSON BLVD	0+00	0+00	0+00	1+56	PO	NO HC RAMPS SIDEWALK
	1+56	1+56	1+56	2+29	CS	COMPLETELY GROWN OVER
	2+29	2+67	2+67		VC	WITH HEDGES
	2+67	2+74	2+74		VC	
	2+74	2+87	2+87		VC	WH IN SIDEWALK
	2+87	3+08	3+08		VC	
	3+08	3+50	3+50	3+93		SIDEWALK MISSING
	3+93	3+93	3+93	4+72	CS	BROKEN SIDEWALK
	4+72					START ASPHALT SIDEWALK @ 4+72
	6+18	6+44	6+44	6+99	CS	START CONC SIDEWALK @ 6+18
	6+99	7+10	7+10	7+38	CS	
	7+38	8+50	8+50	9+57	CS	START ASPHALT @ 7+38
	9+57	9+87				START CONCRETE @ 9+57
	9+87					START ASPHALT @ 9+87

6935a

20F6

693sb

Sidewalk Inventory

Start Point: JEFFERSON BLVD @ MARYLAND AVE

End Point:

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JA/CN
Date: 4/17/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	10+27	10+32	10+32	11+22	CS	START CONC 10+27
	10+32	10+32	10+32		PO	HEDGES OVER SIDEWALK
	11+22	11+37	11+37		VC	
	11+37	11+44	11+44		VC	
	11+44	11+54	11+54		VC	
	11+54	11+64	11+64	12+06	CS	
	12+06	13+27	13+27	14+48	CS	
			14+33		DS	6646
	14+48	14+68	14+68	15+38	CS	START ASPHALT @ 14+48
			14+99		DS	6642
	15+38	15+48	15+48	16+46	CS	START CONCRETE @ 15+38
			15+48	16+31	PO	
			16+38		DS	6640
	16+46	17+56	17+56	17+87	CS	

693sb

3056

6935C

Sidewalk Inventory

Start Point: JEFFERSON BLVD @ MARYLAND AVE

End Point:

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CM
Date: 4/17/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	17+87	18+22	18+22	18+34	PO	TRUNK OVERHANGING SW
			18+34		VC	
	18+34	18+43	18+43	18+43	PO	TRUNK OVERHANGING SW
	18+43	18+81	18+81	19+20	CS	
	19+20	19+42	19+42		VC	START ASPHALT @ 19+20
	19+42	19+42	19+42	19+92	CS	START CONC @ 19+42
	19+92	20+19	20+19	24+70	CS	
			20+25		DS	6624 ASPHALT DRIVEWAY / SW
			24+45	24+64	PO	
	24+70	25+65	25+65		VC	
	25+65	27+16	27+16	31+07	CS	
			27+50		DS	6520
			28+35	28+57	PO	SIDEWALK COMPLETELY GONE
			28+57	29+36	PO	HEDGES OVER 1/2 OF SIDEWALK

6935C

Start Point: JEFFERSON BLVD @ MARYLAND AVE

6935d

End Point: _____

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CM

Date: 11/17/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
			29+45		DS	6516
			30+87		DS	6508
	31+07	31+27	31+27	31+47	CS	
	31+47	31+76	31+76	31+93	CS	
	31+93	32+08	32+08	33+18	CS	
	33+18	33+33	33+33	33+97	CS	
			33+79		DS	6504
	33+97	34+12	34+12	34+28	CS	
			34+20		DS	6420
	34+28	35+58	35+58	36+65	CS	PAVER 35+94 - 36+16
			36+46		DS	6416
	36+65	38+36	38+36	39+36	CS	
			38+43		DS	6408
			38+70		DS	6406

6935d

50FC

Sidewalk Inventory

Start Point: JEFFERSON BLVD @ MARYLAND AVE

6935e

End Point:

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH CM

Date: 4/17/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	39+36	40+33	40+33		VC	
	40+33	40+33	40+51		VC	
	40+51	44+78	44+78		PO	TRIM BUSH
	44+78	44+78	44+83		PO	MAIL BOX
	44+83	44+91	44+91	44+97		SIDEWALK MISSING (GRAVEL)
DRIVEWAY APRON PASSED.	44+97	45+05				DRIVEWAY/APRON PASSING
	44+9.7	45+05	45+05	46+86		SIDEWALK MISSING 3/4" GRAVEL
	46+86	46+86	46+86	47+71	CS	ASPHALT DRIVEWAY
			46+92		DS	6244
						CONC SPANK
			47+25	47+35	PO	12" Ø TREE LIMBS BUSHES
			47+57	47+57	PO	MAIL BOX
	47+71	48+37	48+37	49+03	CS	
			48+71	49+03	PO	TRIM BUSHES

6935e

6 of 6

693SF

Sidewalk Inventory

Start Point: JEFFERSON BLVD @ MARYLAND AVE

End Point: CHERRY LA

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH CMDate: 4/17/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	49+03	49+17	49+17	50+81		SIDEWALK MISSING
	50+81	51+53	51+53	51+87	CS	
			51+68		DS	6210
	51+87	52+52	52+52	52+74	CS	
			52+66		DS	6208
	52+74	53+55	53+55	53+85	CS	
			53+68		DS	6204
CHERRY LA	53+85	53+96	53+96	54+57	CS	
CHERRY LA	0+00	0+00	0+00	0+88	CS	

693sf

Sidewalk Inventory

10FZ

Start Point: MARYLAND AVE @ OLD NATIONAL PIKE

(6925a)

End Point: JEFFERSON BLVD

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CM
Date: 4/17/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
6922 MD. AVE.	0+00	0+34	0+34		VC	
	0+34	0+58	0+58	0+91	CS	
			0+68		DS	6922
END @ 6914	0+91	0+96	0+96	2+42	CS	
6928 MD. AVE	0+00	0+77				FLAGSTONE SIDEWALK
						VERY UNEVEN HOWEVER
						WITHIN SLOPE & NOT OVER
						1/4" DIVERSION
DEERSPRING RD	0+00	0+99	0+99	2+24		SW MISSING STONE
			2+10		DS	6812
	2+24	2+39	2+39	2+47	CS	
	2+47	2+96	2+96		VC	
	2+96	3+00	3+00		VC	
	3+00	3+76	3+76		VC	

6925a

Sidewalk Inventory

Start Point: MARYLAND AVE @ OLD NATIONAL PK

End Point: JEFFERSON BLVD

Gazst

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CM
Date: 4/17/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

[illegible]

1692sb

Start Point: Sugarloaf Pkwy / Rt. 80 Sidewalk Inventory

Sidewalk Inventory

End Point: Rt. 355

Direction of Increasing Station:

Inspector Name:

Date:

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ: Passing Zone

PO, Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name:

Compliant

From

To

Non-Compliant

From

To

Coide

Comments

[illegible]

6915

Start Point: Sugarloaf Pkwy / ~~John James Street~~ Hendry Terr. (Left)

End Point: END of Sidewalk

Direction of Increasing Station:

Inspector Name:

Date:

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ: Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name: _____

Compliant

From .

To

Non-Compliant

From

To

Code

Comments

[illegible]

690s

6825

Left
Pg. 1 of 1

Sidewalk Inventory

Start Point: Hope Commons Ct / John Simmons St

End Point: _____

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J.
Date: 4-16-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
John Simmons St.	0+00	0+60	0+60	0+60	VC	greater than 1/2" Lip
	0+60	0+84	0+84	0+84	VC	" "
	0+84	0+96	0+96	0+96	VC	" "
	0+96	1+25	1+25	1+25	VC	" "
	1+25	1+36	1+36	1+36	VC	" "
	1+36	1+44	1+44	1+44	VC	" "
	1+44	1+48	1+48	1+48	VC	" "
	1+48	1+67	1+67	1+67	VC	" "
	0+00	0+20	0+20	0+20	VC	" "
Alley @ 056-050	0+20	0+42	0+42	0+42	VC	" "
	0+42	1+17	1+17	1+17	VC	" "
	1+17	1+25	1+25	1+25	VC	" "
Hope Commons Circle	1+25	1+38				
	0+00					

6825

6835a

Left
Pg. 1 of 2

Start Point: ~~11500~~ Sugarloaf Pkwy. / Urbana Pike

End Point: _____

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: W. J. T.
Date: 4-17-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Urbana Pike	0+00	1+82	1+82	1+82	VC	greater than 1/2" lip
	1+82	3+67	3+67	3+67	VC	" "
	3+67	3+80	3+80	3+80	PO	manhole lid
	3+80	4+43	4+43	4+43	VC	" "
	4+43	4+76	4+76	4+76	VC	" "
Brien Place	4+76	5+34				
	0+00	0+60	0+60	0+60	VC	" "
	0+60	1+37	1+37	1+37	VC	" "
Hinks Lane	1+37	2+36	2+36	2+50	CS	
	0+00		0+00	0+09	CS	
	0+09	0+30	0+30	0+30	VC	" "
	0+30	0+40	0+40	0+40	VC	" "
	0+40	0+50	0+50	0+50	VC	" "
	0+50	0+83	0+83	0+83	VC	" "

6835a

Start Point: Sugarloaf Sidewalk Inventory Plum / Urbana Pike

End Point:

Direction of Increasing Station: Left


Inspector Name: T. W. J.
Date: _____

Reason Codes for NON-COMPLIANCE:

- VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

- DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:



Compliant

Street Name: _____ From _____

Non-Compliant

From To

Code

Comments

[illegible]

683st

Start Point: Sugar Coat Pkwy / Carriage Hill Dr

Sidewalk Inventory

6845

End Point: _____

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: T.W.J

Date: 4-16-14 Thursday

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone


PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: _____



Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Carriage Hill Dr			0+00	0+10	CS	
	0+10	1+83	1+83	1+83	VC	greater than 1/2" lip
	1+83	2+11				
Spring Hollow Ln			0+00	0+34	CS	asphalt walk
Addison Woods Rd	0+34	5+31	5+31	5+55	CS	
Addison Woods Rd	0+00	0+20	0+20	0+20	VC	> 1/2" lip ("")
	0+20	0+57	0+57	0+57	VC	" " " "
	0+57	0+82	0+82	0+87	CS	
	0+87	1+02	1+02	1+02	VC	" " " "
	1+02	1+34	1+34	1+34	VC	" " " "
	1+43	1+52	1+52	1+52	VC	" " " "
	1+52	2+42	2+42	2+42	VC	" " " "
	2+42	2+93	2+93	2+93	VC	> 1/2" lip
Aratwick Ln	2+93	3+09				

309

6845

Start Point: Sugar Loaf Parkway / Hawthorn Ln

Sidewalk Inventory

6855

End Point:

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWS
Date: 4/17/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Hawthorn Ln	0+00	0+12	0+12	0+12	VC	Greater than 1/2" Lip
	0+12 ⁽¹³⁾	0+37	0+37	0+37	VC	" " " "
	0+37	0+92	0+92	0+92	VC	" " " "
	0+92	2+59	2+59	2+59	VC	" " " "
	2+59	2+75	2+75	2+75	VC	" " " "
	2+75	3+65	2+75		CS	
			3+65	3+65	VC	> 1/2" Lip
	3+65	3+77	3+77	3+77	VC	
	3+77	4+42				Excessively deteriorated sidewalk 2+75 to
			4+42	4+42	VC	> 1/2" Lip
	4+42	5+57				Yield Sign Slip Demand
Devism St						
557						

6855

6865

Start Point: Sugar Leaf Pkwy / John Simmons

End Point: Bush Creek. Asphalt / Concrete water trail / Concrete sidewalk

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: _____
Date: _____

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
John Simmons	0+00	0+73	0+73	0+73	VC	Asphalt water Path behind
Gardner St	0+73	1+74	1+74	2+31	CS	Gutter 1/2"
	2+31	2+78	2+78	7+49	CS	
Guard rail	7+49	9+87	9+87	9+87	VC	Concrete behind Guard rail
	9+87	10+00				> 1/2" left
End of Guard rail	10+00	10+21	10+21	10+21	VC	> " "
	10+21	10+58	10+58	11+18	CS	
	11+18	11+77				
Bush Creek Dr						
1177						

6865

(Right)

6885

Start Point: Sugarloaf Pkwy / Carriage Hill Drive

Sidewalk Inventory

End Point: ~~Spicebush Way~~ Asphalt Path (near round-a-bout)

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W

Date: 4-17-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: _____

Street Name:

Compliant

Non-Compliant

From	To	From	To	Code	Comments
Carriage Hill Dr.	0+00	1+54	1+54	1+59	CS
	1+59	3+45			
Kinnerton Pl.	0+00	0+11	0+11		VC Gas Valve
	0+11	1+28	1+28		VC
	1+28	3+08	3+08		VC
	3+08	4+32			
Addison Woods Rd.	0+00	2+12	2+12	2+20	CS
	2+20	3+21			
Shawfield Lane	0+00	1+05	1+05		VC
	1+05	3+11	3+11		PO TREE
	3+11	3+49	3+49		VC
	3+49	5+65			
Spicebush Way	0+00 0+00	0+86			

Asphalt Path 0+86

6885

6899

6895

Start Point: Buss Brushfire / Tottenham St 192

Sidewalk Inventory

68152

End Point:

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: WTS

Date: 4/16/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

TRIM TREES

Total Number of Driveways: 1111

Compliant

Non-Compliant

Street Name:

From

To

From

To

Code

Comments

Tottenham St	0+00	0+43	0+43	0+43	VC	Center Lane 1/2 up.
	0+43	4+27	4+27	4+33	CS	
			4+33	4+33	PS	4/120
			4+33	4+33	CS	
	4+34	5+55	5+55	5+55	VC	> 1/2" up
	4+55	5+68	5+55	5+68	CS	
	5+68	6+56	6+56	6+56	VC	
	6+56	6+68	6+68	6+76	CS	
	6+76	6+76	6+76	6+96	VC	> 1/2 up
	6+96	7+43	7+43	7+43	VC	" " "
	7+43	7+75	7+75	7+75	VC	" " " "
	7+75	7+82	7+82	7+82	VC	" " "
	7+82	8+46	8+46	8+46	VC	" "
	8+46	8+53	8+53			

68152

292

6815b

Start Point: Brush G. H. / Tottenham St

Sidewalk Inventory

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWS
Date: 7/16/14VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding ObjectDS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Compliant

Non-Compliant

Total Number of Driveways: 111

Street Name: _____

From

To

From

To

Code

Comments

Tottenham							
			8+53	8+72	CS		
			8+72	8+72	DS	4108	
			8+72	8+82	CS		
	8+82	9+55	9+55	9+55	VC	Greater than 1/2" gap	
	9+55	10+02	10+02	10+02	VC	" " " "	
	10+02	10+10	10+10	10+10	VC	" " " "	
	10+10	10+21	10+21	10+30	CS		
			10+30	10+30	DS	7104	
			10+30	10+40	CS		
	10+40	11+44	11+44	11+54	CS		
			11+54	11+54	DS	9162	
			11+54	11+64	CS		
Beverly Dr	11+64	12+23					

12+23

6815b

Start Point: Carriage Mill Dr / Rt. 80 (Fingerboard Rd)
 End Point: Caledonia Drive

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J.
 Date: 4-16-14

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Fingerboard Rd	0+00	3+45				
Centerville @ 300 ft Elem. Entrance	0+00	3+70	3+70	3+70	VC	greater than 1/2" lip
Median Failed 4' W	3+70	3+82	3+82	3+82	VC	" "
	3+82	3+98				
(Elem. School) 2 1/2	0+00	6+14	6+14	6+14	VC	" "
Sugarloaf Pkwy	6+14	6+31	6+31	6+31	VC	" "
Goddard School	6+31	6+49				@ 3825
	0+00	0+17	0+17	0+17	VC	" "
Caledonia Dr.	0+17	1+22				
1+22						

6795

Direction of Increasing Station: Center Medium. Center Medium side walk.

Inspector Name: TWS
Date: 4/16/14

WP Width of Panel

Total Number of Driveways:

Non-Compliant

To

10

Code

Comments

[illegible]

6795

Start Point: Bishop Gate Dr. / Tottenham St Sidewalk Inventory

6785

End Point: _____

Direction of Increasing Station: Left

Inspector Name: WTJ
Date: 4/16/14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Trim Trees
Lower Branches

Total Number of Driveways: 11

Street Name:

From

To

Non-Compliant

From

To

Code

Comments

Tottenham St	0+00	0+54	0+54	0+54	VC	Grate 1/2" Lp
	0+54	0+71	0+71	0+71	VC	" " " "
	0+71	2+34				
St Thomas Lodge Alley	0+00	0+47	0+47	0+79	CS	
	0+79	1+18	1+18	1+32	CS	
St Thomas Lodge Dr.	0+00	2+64	2+64	2+64	VC	> 1/2" Lp
	2+64	3+29	3+29	3+29	VC	" " " "
	3+29	4+50	4+50	4+50	VC	" " " "
	4+50	5+83	5+83	5+83	VC	" " " "
	5+83	8+79	8+79	8+79	VC	" " " "
	8+79	14+09	14+09	14+09	VC	" " " "
	14+09	15+40	15+40	15+40	VC	Grate the day 1/2" Lp
	15+40	15+50	15+50	15+50	VC	" " " "
	15+50	15+78				

Carrington Hill Dr.
15+78

6785

16775

Start Point: Celtic way Sidewalk Inventory ~~Exit~~ Tantallon way 6765

End Point: _____

Direction of Increasing Station: Rt

Reason Codes for NON-COMPLIANCE:

Inspector Name: WTS

Date: 7/16/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

*Trim Low
branches Trees*

Total Number of Driveways: III (5)

Street Name: _____

From

To

Non-Compliant

From

To

Code

Comments

<u>Tantallon way</u>				<u>0+00</u>	<u>0+04</u>	<u>CS</u>	
	<u>0+04</u>	<u>0+63</u>	<u>0+63</u>	<u>0+63</u>	<u>0+63</u>	<u>VC</u>	<u>Greater than 1/2" Lip</u>
	<u>0+63</u>	<u>1+04</u>	<u>1+04</u>	<u>1+04</u>	<u>1+04</u>	<u>VC</u>	" " " " "
	<u>1+04</u>	<u>1+53</u>	<u>1+53</u>	<u>1+53</u>	<u>1+53</u>	<u>VC</u>	" " " " "
	<u>1+53</u>	<u>2+84</u>	<u>2+84</u>	<u>2+84</u>	<u>2+84</u>	<u>VC</u>	" " " " "
	<u>2+84</u>	<u>3+20</u>					
<u>Tantallon Alley</u>				<u>1+13</u>	<u>1+17</u>	<u>CS</u>	
	<u>1+17</u>	<u>1+37</u>	<u>1+37</u>	<u>1+37</u>	<u>1+71</u>	<u>CS</u>	
	<u>1+71</u>	<u>2+06</u>	<u>2+06</u>	<u>2+35</u>			
	<u>2+35</u>	<u>2+47</u>	<u>2+47</u>	<u>2+57</u>	<u>CS</u>		
			<u>2+57</u>	<u>2+57</u>	<u>DS</u>	<u>4/100</u>	
			<u>2+57</u>	<u>2+66</u>	<u>DS</u>		
	<u>2+66</u>	<u>3+60</u>					
<u>Bishop Gate Dr.</u>							

360

6765

Start Point: Carriageway Dr / Belvedere Dr

Sidewalk Inventory

6755

End Point: _____

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWS

Date: 7/14/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 1111

Street Name: _____

From

To

From

To

Code

Comments

Belvedere Dr.	0+00	0+04	0+04	VC	VC	Greater than 1/2" Gap
	0+04	0+36	0+36	0+50	CS	
			0+50	0+50	DS	4009
			0+59	0+59	CS	
	0+59	0+63	0+63	0+63	VC	> 1/2" Gap
	0+63	1+08	1+08	1+18	CS	
			1+18	1+18	DS	4007
			1+18	1+27	CS	
	1+27	2+04	2+04	2+04	VC	> 1/2" Gap
	2+04	2+19	2+19	2+19	VC	" " "
	2+19	2+33	2+33	2+33	VC	" " " "
	2+33	2+57	2+57	2+57	VC	" " " "
	2+57	2+98	2+98	2+98	VC	" " " "
	2+98	4+47				

Bishop Gate Dr.
4+47

6755

Left

P.1

6745

Start Point: Carrage Hill DR. / Carrage Hill St.

End Point: Dunraven St.

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: T.J.W
Date: 4-16-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Carrage Hill St	0+00	0+26	0+26	0+26	VC	greater than 1/2" lip
	0+26	0+33	0+33	0+33	VC	" "
	0+33	1+07	1+07	1+07	VC	" "
	1+07	1+86	1+86	1+86	VC	" "
	1+86	2+47	2+47	2+47	VC	" "
	2+47	2+91	2+91	2+91	VC	" "
	2+91	3+11	3+11	3+11	VC	" "
	3+11	4+98	4+98	4+98	VC	" "
	4+98	6+18	6+18	6+18	VC	" "
	6+18	7+26	1+36	1+36	VC	" "
Cornwell Mendon	1+36	1+47	1+47	1+47	VC	" "
	1+47	1+86	1+86	1+86	VC	" "
	1+86	2+90				
Dunraven St.	1+86	2+90				

6745

Start Point: Shetland ~~1st St~~ CT / Sidewalk Inventory

End Point: B

Direction of Increasing Station: Left at 3823

1063 Left
(6729)

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J.
Date: 4-16-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
@ 3823 at circle	0+00	0+11	0+11	0+11	VC	greater than 1/2" lip
	0+11	0+20	0+20	0+20	VC	" "
			0+20	0+38	CS	
			0+38	0+38	ds	@ 3821
			0+38	0+55	CS	
	0+55	0+69	0+69	0+86	CS	
	0+86	1+06	1+06	1+06	VC	" "
	1+06	1+24	1+24	1+53	CS	
			1+53	1+53	ds	@ 3817
			1+53	1+86	CS	
	1+86	2+03	2+03	2+16	CS	
	2+16	2+59	2+59	2+63	CS	
	2+63	2+93	2+93	2+93	VC	" "
	2+93	2+13 3+28	3+28	3+28	VC	" "

16125a

Start Point: Shetland Sidewalk Inventory ct

(67256)

End Point: _____

Direction of Increasing Station: Left at 3823

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J.
Date: 4-16-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	3+28	3+72	3+72	3+72	VC	greater than 1/2" Lip
	3+72	3+80	3+80	3+89	CS	
			3+89	3+89	ds	@ 3811
			3+89	3+98	CS	
	3+98	4+10	4+10	4+10	VC	" "
	4+10	4+43	4+43	4+59	CS	
	4+59	4+86	4+86	4+98	CS	
	4+98	5+14	5+14	5+24	CS	
	5+24	6+11	6+11	6+15	CS	
	6+15	6+33	6+33	6+65	CS	
	6+65	6+90	6+90	6+94	CS	
	6+94	7+12	7+12	7+20	CS	
	7+20	7+44	7+44	7+62	CS	
	7+62	7+68	7+68	7+68	VC	" "

67256

Start Point: Shetland Ct. / at circle

End Point: Royal Crest DR

Direction of Increasing Station: Left at 3823

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J.
Date: 4-16-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	7+68	7+75	7+75	7+75	VC	greater than 1/2" lip
	7+75	8+41	8+41	8+45	CS	
Royal Crest DR.	8+45	8+97	8+97	9+25	CS	

(Right)

Start Point: Shetland Court / Sidewalk Inventory house # 3823

pg 1 of 2

End Point: Royal Crest Drive

67152

Direction of Increasing Station: _____

Inspector Name: T/W/D
Date: 4-16-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

9

Total Number of Driveways: ~~1111~~ 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
house # 3823			0+00	0+09	CS	
			0+09		DS	# 3823
			0+09	0+21	CS	
	0+21	0+70	0+70		VC	
	0+70	0+90	0+90		VC	
	0+90	1+40	1+40		VC	
	1+40	2+73	2+73		VC	
	2+73	2+77	2+77	2+89	CS	
	2+89	3+22	3+22		VC	
	3+22	3+29	3+29	3+41	CS	
			3+41		DS	3814
			3+41	3+63	CS	
	3+63	4+57	4+57	4+68	CS	
	4+68	5+34	5+34	5+46	CS	

67152

Start Point: Shetland Ct. / C Sidewalk Inventory cul-de-sac (#3823) (Right) pg 2 of 2

End Point: Royal Crest Drive **6715b**

Direction of Increasing Station: _____

Inspector Name: T/w/o
Date: 4-16-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 4
1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	5+46	7+54	7+54	7+59	CS	
	7+59	8+09	8+09		VC	
	8+09	8+51	8+51		VC	
	8+51	8+63	8+63		VC	
	8+63	9+25	9+25	9+29	CS	
	9+29	9+47	9+47	9+55	CS	
	9+55	9+79				
Royal Crest Dr.	9+79					

6715b

(Right)

Start Point: Hope Commons Court / John Simmons Street

6705

End Point: Circle Hope Commons Circle

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/D
Date: 4-16-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
John Simmons St.			0+00	0+04	CS	
	0+04	0+15	0+15	0+27	CS	
	0+27	0+81	0+81		VC	
	0+81	1+45	1+45	1+62	CS	
	1+62	1+73				
Entrance	0+00	0+64	0+04	0+24	CS	
	0+24	1+37				
Hope Commons Circle	1+37					

6705

Start Point: CARRIAGE HILL Drive / Belvedere Dr. ^{Sidewalk Inventory}

(Right)

6695

End Point: DUNRAVEN St.

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/D
Date: 4-16-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Belvedere Dr.	0+00	0+08	0+08		VC	
	0+08	2+68	2+68		DS	4004
	2+68	3+60	3+60		DS	4002
			3+60	3+74	CS	
	3+74	6+14	6+14		VC	
	6+14	9+79	9+79	10+35	CS	
	10+35	10+51	10+51	10+66	CS	
	10+66	15+23	15+23	15+53	CS	
	15+53	15+99	15+99	16+55	CS	
	16+55	17+33				
Shafers Mill Dr.			0+00	0+05	CS	
	0+05	2+96				
Penrose St.	0+00	2+64				
DUNRAVEN St.	2+64					

16695

(Left)

Start Point: Celtic Way / Tantarillon Way

Sidewalk Inventory

6685

End Point: Bishopgate Drive

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/D
Date: 4-16-14VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding ObjectDS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Tantarillon Way	0+00	0+96				
Celtic Alley	0+00	0+42	0+42		VC	
	0+42	0+78	0+78		VC	
	0+78	1+84	1+84	2+33	CS	
	2+38	2+46				
Cawder Alley			0+00	0+16	CS	
	0+16	2+25	2+25	2+33	CS	
Bishopgate Dr.	2+33					

6685

Start Point:

End Point:

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name:

Date:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Brushfield Dr.	0+00	0+22	0+22		VC	
	0+22	1+35	1+35	1+44	CS	
	1+44	1+50	1+50		PO	TREE
	1+50	3+74				
Murray Alley	0+00	0+32	0+32	0+92	CS	
	0+92	1+08				
Bishopgate Dr.	1+08					

6675

(Right)

Start Point: Bishopgate Drive / Tottenham Drive

End Point: Carriage Hill Drive

(6665)

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/D

Date: 4-12-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

(5)

Total Number of Driveways: ||||

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Tottenham Dr.	0+00	0+93	0+93	1+00	CS	
	1+00	2+49	2+49		VC	
	2+49	3+26	3+26	3+74	CS	
	3+74	4+06	4+06	4+10	CS	
	4+10	4+58	4+58	4+66	CS	
	4+66	5+93	5+93	6+02	CS	
	6+02	6+50				
Tantallon Way	0+00	1+19				
Celtic Alley	0+00	3+20				
Celtic Way	0+00	0+10	0+10		VC	
	0+10	2+96	2+96		VC	
	2+96	5+46	5+46		VC	
	5+46	5+67	5+67		DS	9302
			5+67	5+78		
Carriage Hill Dr.	5+78	7+52				
	7+52					

16665

(Left)

Start Point: Brushfield Circle / Brushfield Drive @ stop sign

6655

End Point: Belvedere Drive

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/D
Date: 4-16-19

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: HH HH III (13)

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Brushfield Dr.	0+00	1+40	1+40		DS	4020
@ stop sign			1+40	1+57	CS	
	1+57	2+13	2+13	2+33	CS	
	2+33	2+66	2+66	2+88	CS	
	2+88	3+35	3+35	3+43	CS	
	3+43	4+50	4+50		VC	
	4+50	4+98	4+98		VC	
	4+98	5+03	5+03		VC	
	5+03	5+35	5+35		DS	4004
			5+35	5+47		
	5+47	6+45	6+45		DS	4000
			6+45	6+61	CS	
	6+61	6+81				
Belvedere Dr.	6+81					

6655

Start Point:

Brushfield Drive / Tottenham Street

(Left)

CCAS

End Point:

Brushfield Circle

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name:

T/w/d

Date:

4-16-14

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Total Number of Driveways:

2
11

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Tottenham St.	0+00	0+88	0+88	0+92	CS	
Brushfield Alley	0+00	2+92				
Murray Alley	0+00	0+98				
TANTALLON	0+00	0+78	0+78	0+86	CS	
Alley	0+86	2+63	2+63		VC	
	2+63	3+92	3+92		VC	
	3+92	4+21	4+21		PO	Tree
	4+21	6+15	6+15	6+23	CS	
	6+23	6+28	6+28		VC	
Brushfield	6+28					
Circle						

664s

(Left)

Start Point: Carriage Hill Dr/ Rt. 80

Sidewalk Inventory

6635

End Point: Carriage Hill Street

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/D

Date: 4-16-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Rt. 80	0+00	1+68	1+68		VC	
	1+68	2+34	2+34		VC	
	2+34	3+49				
Hyde Place	0+00	0+29	0+29		VC	
	0+29	0+62	0+62		VC	
	0+62	0+79	0+79		VC	
	0+79	1+52	1+52		VC	
	1+52	2+16				
Knights Walk	0+00	2+28				
LANE						
Superior Pkwy	0+00	3+27				
Kinnerton Place	0+00	1+16	1+16		VC	
	1+16	1+29	1+29		VC	
	1+29	1+84	1+84		VC	
	1+84	2+61	2+61		VC	
Carriage Hill St.	2+61	2+65				
	2+65					

6635

Direction of Increasing Station: LT

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF & RH
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 17

Compliant

Non-Compliant

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Innsbrook Wy						

[illegible]

6675

6615

Sidewalk Inventory

Start Point: Knolls Pkwy @ Innsbrook Way

End Point: Winmar Dr

Direction of Increasing Station: LI

Reason Codes for NON-COMPLIANCE:

Inspector Name: BFBRH
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 7

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Innsbrook Way	0+00	4+06	4+06	/	VC	
	4+06	4+91	4+91	/	VC	
	4+91	5+35	5+35	/	DS	3308
	5+35	6+26	6+26	/	VC	
	6+26	7+12	7+12	/	VC	
	7+12	10+30				END @ Winmar Dr

6615

6605

Start Point: Summit Dr @ Knolls Pkwy

End Point: Dead End

Direction of Increasing Station: LT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JEBRH
Date: 4-14-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Knolls Pkwy	0+00	0+98	0+98	/	PO	Bushes
	0+98	1+68				END @ Dead End

6605

6595

Sidewalk Inventory

Start Point: Little Spring way @ Winding Ridge Way

End Point: Dead End

Direction of Increasing Station: LT

Reason Codes for NON-COMPLIANCE:

Inspector Name: BFB RH
Date: 4-14-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 14

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Winding Ridge Way	0+00	4+52				
Haycock CT	0+00	5+00	5+00	5+08	CS	
	5+08	7+80	7+80	—	VC	
	7+80	11+95				END@ Dead End

6595

Start Point: Preston Dr @ Dead END Sidewalk Inventory

6585

End Point: Baltimore Rd

Direction of Increasing Station: LT

Reason Codes for NON-COMPLIANCE:

Inspector Name: BFBRH
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 2

Street Name: <u>Preston Dr</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Dead END</u>	0+00	0+26	0+26	—	DS	L# 8710
	0+26	2+67	2+67	2+82	CS	
<u>Broad Branch St</u>			0+00	0+26	CS	
	0+26	0+78	0+78	—	VC	
	0+78	1+19	1+19	1+27	CS	
	1+27	2+79	2+79	—	VC	VC PZ
	2+79	3+19				END @ Baltimore RD

6585

Sidewalk Inventory

6575

Start Point: Dupont Terr @ Broad Branch Way


End Point: Broad Branch Way

Direction of Increasing Station: 

Reason Codes for NON-COMPLIANCE:

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel



Inspector Name: BFBIRH
Date: 4-14-14

(L+)

Total Number of Driveways: 5

Street Name: Dupont Terr	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Broad Branch Way	0+00	0+61	0+61	1+71	CS	
			0+99	—	DS	L# 8808
			1+20	—	DS	L# 8806
			1+40	—	VC	Recessed Driveway
			1+56	—	VC	
	1+71	2+76	1+71			END @ Broad Branch Way

6576

Sidewalk Inventory

6565

Start Point: Broad Branch Way @ Dead END

End Point: Broad Branch Way

Direction of Increasing Station: IT

Reason Codes for NON-COMPLIANCE:

Inspector Name: BEBRH
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 13

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Dead END	0+00	0+17	0+17	1+25	CS	
			0+58	—	DS	Lot 5826
			1+05	—	DS	Lot 5824
	1+25	1+77				
Do Point Terr	0+00	1+73	1+73	—	VC	
	1+73	1+97	1+97	—	VC	
	1+97	3+72	3+72	—		Lot 5812
	3+72	6+54	4+54	4+71	CS	
	4+71	6+02	6+02	—	VC	
	6+02	8+47	8+47	8+90	CS	END @

6565

Start Point: Winmoor Dr @ Yardley CT ^{Sidewalk Inventory}

100
6555a

End Point: Innsbrook Way

Direction of Increasing Station: LT

Reason Codes for NON-COMPLIANCE:

Inspector Name: DFB RIT
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 12

Street Name: <u>Winmoor Dr</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Yardley CT</u>	0+00	1+60	1+60	1+70	CS	
	1+70	2+21				
<u>Bramblewood CT</u>	0+00	1+55	1+55	1+69	CS	
	1+69	4+13	4+13	/	VC	
	4+13	4+79	4+79	/	VC	
	4+79	7+20	7+20	7+32	CS	
	7+32	13+31	13+31	/	DS	<u>L# 3231</u>
	13+31	17+49	17+49	/	DS	<u>L# 3237</u>
	17+49	19+42	19+42	/	VC	
	19+42	20+02				
<u>Knolls PKWY</u>			0+00	0+24	CS	
	0+24	3+69				
<u>Chickweed PL</u>	0+00	1+91	1+91	2+40	CS	
	2+40	7+18				

6555a

Sidewalk Inventory

Start Point: Winmoor Dr @ Yordley CT

End Point: Innsbruck 454

Direction of Increasing Station: 1000

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF & RH
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: See Sheet 1

[illegible]

655sb

Sidewalk Inventory

Start Point: Little Spring way @ Winding Ridge Way
 End Point: Dead End Little Spring way

Direction of Increasing Station: _____

Inspector Name: JH/CB
 Date: 4/14/14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Right CSAS

Total Number of Driveways: 13

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Winding Ridge Way	0+00	0+03	0+03	—	VC	
	0+03	1+98	1+98	—	VC	
	1+98	2+42	2+42	—	PO	
	2+42	6+44				
Bridge Spring Rd	0+00	0+51	0+51	—	VC	
	0+51	1+48	1+48	—	VC	
	1+48	2+46	2+46	—	VC	
	2+46	5+07	5+07	—	VC	
	5+07	5+66	5+66	—	VC	
	5+66	5+88	5+88	—	VC	
	5+88	7+08	7+08	—	VC	
	7+08	8+36	8+36	—	VC	
	8+36	8+69	8+69	—	VC	
	8+69	10+36	—	—		End

6545

Sidewalk Inventory

Start Point: Broad Branch Way @ Dead End Court
End Point: Preston Dr.

Right
6535

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/14/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 7

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Dead End Ct.	0+00	0+16	0+16	0+32	CS	
	0+32	0+62	0+62	—	VC	
	0+62	1+77	1+77	—	VC	
	1+77	1+85	1+85	—	VC	
	1+85	2+58	2+58		VC	
	2+58	3+22	3+22	3+60	CS	
	3+60	3+80	3+80	—	VC	
	3+80	5+14	5+14	—	VC	
	5+14	6+67				
Broad Branch Ct.	1+00	1+10	1+10	—	PO	
	1+10	1+95				End

6535

Sidewalk Inventory

Start Point: Broad Branch @ Broad Branch Way

End Point: Broad Branch Way

6525

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB

Date: 4/14/14

Right to Left

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 8

Street Name:

From

To

From

To

Code

Comments

Broad Branch Way: R	0+00	1+19	1+19	1+73	CS	
	1+73	2+03	2+03	—	VC	
	2+03	2+24	2+24	—	VC	
	2+24	2+92	2+92	—	VC	
	2+92	3+00	3+00	3+12	CS	
	3+12	3+24	3+24	3+40	CS	
	3+40	3+40	3+40	—	DS	8904
	3+40	3+40	3+40	3+47	CS	
	3+47	4+69	4+69	—	VC	
	4+69	4+76	4+76	4+97	CS	
	4+87	6+06	6+06	—	VC	
	6+06	6+26	6+26	—	VC	
	6+26	8+15	8+15			End

6525

Sidewalk Inventory

Start Point: Preston Dr. @ Dead End Ct

End Point: Baltimore Rd

Direction of Increasing Station: RT

6515

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/14/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 5

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Dead End Ct	0+00	1+57	1+57	—	VC	
	1+57	3+46	3+46	—	VC	
	3+46	3+81	3+81	—	VC	
	3+81	3+89	3+89	4+49	CS	
	4+49	4+69	4+69	—	VC	
	4+69	4+77	4+77	—	VC	
	4+77	4+82	4+82	—	VC	
	4+82	4+90	4+90	—	VC	
	4+90	5+42	5+42	—	VC	
	5+42	5+50	5+50	—	VC	
	5+50	5+58	5+58	—	VC	
	5+58	5+90	5+90	—	VC	
	5+90	6+08				End

6515

Sidewalk Inventory

Start Point: Summit Dr @ Knolls Pkwy

End Point: Sidewalk

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 2

6505

Right

Inspector Name: JH/CB
Date: 4/14/00

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	0+00	0+38	0+38	0+38	VC	
				0+56	VC	
				1+62	VC	gas valve
stops	1+62	1+74				End
after						
2nd						
house						

6505

Sidewalk Inventory

Start Point:

Knolls Pkwy @ Innsbrook Way

End Point:

Winmoor Dr

Direction of Increasing Station:

Right

Inspector Name:

JH/CB

Date:

4/14/14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 9

6495

Street Name:

From

To

From

To

Code

Comments

Knolls Pkwy	0+00	13+4				
Summit Dr	0+00	0+38	0+38		VC	
	0+38	0+66	0+66		VC	
	0+66	4+10	4+10	4+10	PO	
	4+10	6+98	6+98	-	VC	
	6+98	7+02	7+02	-	VC	
	7+02	7+50	7+50	-	VC	
	7+50	8+62	8+62	-	VC	
	8+62	9+42	9+42	-	VC	
Winmoor Dr	9+42	9+58				End

6495

Sidewalk Inventory

Start Point: Innsbrook Way @ Winmoor Dr.

End Point: Kent's Pkway

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 20

Inspector Name: JH/EB
Date: 4/14/14

64852

Right

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Winmoor Dr	0+80	3+74	3+74	-	VC	
	3+74	4+20	4+20	-	VC	
	4+20	4+28	4+28	-	VC	
	4+28	6+41	6+41	-	VC	
	6+41	6+75	6+75	-	VC	
	6+75	7+33	7+33	-	VC	
	7+33	8+13	8+13	-	VC	
	8+13	8+90	8+90	-	VC	
	8+90	10+21	10+21	-	VC	
	10+21	10+74	10+74	-	VC	
	10+74	10+99	10+99	-	VC	
	10+99					
Averly Rd	0+00	0+00	0+00	-	VC	
	0+00	1+61	1+61	-	VC	

64852

Sidewalk Inventory

Start Point: Winmore Dr @ Windsor Rd

End Point: Dead End

Direction of Increasing Station: (R)

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/14/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 17

GA75a

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Windsor Rd	0+00	0+08	0+08	—	VC	
	0+08	0+28	0+28	—	VC	
	0+28	0+48	0+48	—	VC	
	0+48	0+69	0+69	—	VC	
	0+69	0+89	0+89	—	VC	
	0+89	1+29	1+29	—	VC	
	1+29	2+33				
Yardley Pl	0+00	0+00	0+00	—	VC	
	0+00	1+00	1+00	—	VC	
	1+00	1+61	1+61	—	VC	
	1+61	1+81	1+81	—	VC	
	1+81	1+91	1+91	—	PZ	
	1+91	2+83	2+83	—	VC	
	2+83	3+64	3+64	—	VC	

6475a

2083

Sidewalk Inventory

Start Point: Winmoor Dr Windsor Rd.

End Point: Dead End

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/14/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

64756

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	3+64	4+84	4+84	—	VC	
	4+84	6+86	6+86	—	VC	
	6+86	7+66	7+66	—	VC	
	7+66	8+26	8+26	—	VC	
	8+26	11+56	11+56	—	VC	
	11+56	11+74	11+74	—	VC	
	11+74	13+71	13+71	—	VC	
	13+71	19+48	19+48	—	VC	
	19+48	19+68	19+68	—	VC	
	19+68	21+85	21+85	—	VC	
	21+85	22+46	22+46	—	VC	
	22+46	22+76				
Knolls Pkwy	0+00	0+00	0+00	—	VC	
	0+00	3+33				

64756

Sidewalk Inventory

30F3

Start Point: Winmar Dr @ Winsor Rd

End Point: Dead End

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: TH/CB

Date: 4/2/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

647SC

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
3300 Pcd	0+00	0+00	0+00	-	VC	
	0+00	1+23				
Ent Pool	0+00	0+00	0+00	-	VC	
	0+00	0+40	0+40	-	VC	
	0+40	0+52	0+52	-	VC	
	0+52	1+06	1+06	-	VC	
	1+06	1+79	1+79	-	VC	
	1+79	3+48	3+48	-	VC	
Lindsey Ct	0+00	1+17	1+17		VC	
	1+17	1+24	1+24	-	VC	PZ
	1+24	3+76	3+76	-	VC	
	3+76	4+57	4+57	-	VC	
	4+57	6+57				
Innsbrook	0+00	6+57				

Way
Dead End
6+57 6+57

647SC

193

Start Point: Byron Ct. / Byron Ave.

Sidewalk Inventory

End Point:

Direction of Increasing Station: Left.

Inspector Name: TWS
Date: 4/14/14

Reason Codes for NON-COMPLIANCE:

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

CAGSA

Total Number of Driveways: 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Byron Ave	0+00	0+22	0+22	0+22	VC	Greater than 1/2" Lip.
	0+22	0+59	0+59	0+59	VC	" " " "
	0+59	0+76	0+76	0+76	VC	" " " "
	0+76	1+12	1+12	1+25	CS	
			1+25	1+25	DS	3604
			1+25	1+34		
	1+34	1+59	1+59	1+59	VC	7th 1/2" Lip.
	1+59	2+76	2+76	2+76	VC	" " " "
	2+76	2+96	2+96	2+96	VC	7th 1/2" Lip.
	2+96	3+16	3+16	3+16	VC	" " " "
	3+16	3+35	3+35	3+35	VC	" " " "
	3+35	3+48	3+48	3+48	VC	" " " "
	3+48	4+27	4+27			Side Chute Ramp.

CAGSA

293

Start Point: Bryon Ct. / Byron Cir. Sidewalk Inventory

End Point: _____

Direction of Increasing Station: Left.

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

GAGSB

Inspector Name: WTSDate: 4/14/14Total Number of Driveways: 11

Street Name: _____

Compliant

Non-Compliant

	From	To	From	To	Code	Comments
Byron Cir	4+27	5+09	5+09	5+09	VC	Greater than 1/2" up
	5+22	5+22	5+22	5+22	VC	" " " "
	5+22	5+57	5+57	5+57	VC	" " " "
	5+57	5+77	5+77	5+77	VC	" " " "
	5+77	5+94	5+94	5+94	VC	" " " " Also Tri Tree
	5+94	6+23	6+23	6+23	VC	" " " "
	6+23	6+79	6+79	6+79	VC	" " " "
	6+79	7+10	7+10	7+10	VC	> 1/2" up
	7+10	7+22	7+22	7+22	VC	
	7+22	7+27				Cross Ramp center line centerline?
	7+27	8+61	8+61	8+61	VC	> 1/2" up.
	8+61	8+94	8+94	8+94	VC	" " " "
	8+94	9+24	9+24	9+24	VC	" " " "
	9+24	9+67	9+67	9+67	VC	" " " "

646sb

393

Start Point: Byron Ct. / Byron Ave.

Sidewalk Inventory

End Point: Byron Ct.Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

GAGSC

Inspector Name: WTSDate: 4/14/14Total Number of Driveways: 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	9+67	9+74	9+74	9+74	VC	Greater than 1/2" Lip
	9+74	9+91	9+91	9+91	VC	
	9+91	9+96				Ramp. Cross to Byron Pl. ?
	9+96	10+68				" " "
	10+68	11+88	11+88	11+88	VC	> than 1/2" Lip
	11+88	12+30	12+30	12+30	VC	" " " "
	12+30	14+01	14+01	14+09	CS	
			14+09	14+09	DS	3656
			14+09	14+19	CS	
	14+19	15+19	15+19	15+19	PO	Trim Tree. 3660
	15+19	15+94	15+94	15+94	VC	> 1/2" Lip
	15+94	16+68	16+68	16+68	VC	
	16+68	17+32	17+32	17+32	VC	
	17+32	17+48	17+48	17+73	PO	Trim Tree; Bush
	17+73	17+94	17+94	18+01	CS	

646SC

Start Point:

~~Byron Ct / Byron Cir.~~

Sidewalk Inventory

End Point:

Byron Ct / Byron Cir.

MB 3673

6455

Direction of Increasing Station:

R+

Reason Codes for NON-COMPLIANCE:

Inspector Name:

TWS

Date:

4/14/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

THH 11 (7)

Street Name:

Compliant

Non-Compliant

Street Name:	From	To	From	To	Code	Comments
Byron Cir.	0+00	0+89	0+89	0+89	VC	Greater than 1/2" Gap
	0+89	1+09	1+09	1+09	VC	" " " "
	1+09	1+22	1+22	1+22	VC	" " " "
	1+22	1+79	1+79	1+84	CS	
			1+84	1+84	DS	3676
			1+84	2+09	CS	
	2+09	2+64	2+64	2+64	VC	> 1/2" Gap Trim Tree
			2+64	2+90	CS	
			2+90	2+90	DS	3675
			2+90	3+00	CS	
	3+00	3+67	3+67	3+67	VC	> 1/2" Gap
	3+67	3+87	3+87	3+87	VC	3+09 - Trim Bushes
Byron Cir						Greater than 1/2" Gap
						Driveway

6455

6435a

Right
Pg. 1 of 2

Start Point: Singleton DR / Addison woods Rd

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J.
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Addison woods Rd	0+00	0+24	0+24	0+24	VC	greater than 1/2" Lip
	0+24	0+68	0+68	0+68	VC	" "
	0+68	0+77	0+77	0+77	VC	" "
	0+77	0+89	0+89	0+89	VC	" "
	0+89	1+06	1+06	1+06	VC	" "
	1+06	1+75	1+75	1+75	VC	" "
	1+75	2+08	2+08	2+08	VC	" "
	2+08	2+15	2+15	2+15	VC	" "
Winthrop LA	0+00	0+25	0+25	0+25	VC	" "
	0+25	0+51	0+51	0+51	VC	" "
	0+51	0+63	0+63	0+63	VC	" "
	0+63	1+07	1+07	1+07	VC	" "
	1+07	1+15	1+15	1+15	VC	" "
	1+15	1+23	1+23	1+23	VC	" "

6435a

6435b

Sidewalk Inventory

Start Point: Singleton Dr / Addison Woods Rd / Winthrop LA

End Point: Fingerboard Rd.

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J.
Date: 4-14-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	1+23	1+36	1+36	1+36	VC	greater than 1/2" lip
	1+36	1+63	1+63	1+63	VC	" "
	1+63	1+76	1+76	1+76	VC	" "
	1+76	1+95	1+95	1+95	VC	" "
	1+95	2+04	2+04	2+04	VC	" "
	2+04	2+30				
Caldwell Pl.	0+00		0+00	0+00	VC	" "
	0+00	0+66	0+66	0+66	VC	" "
Fingerboard Rd	0+66	0+71	0+71	0+71	VC	" "
						Pedestrians Single Middle Ramp

Start Point: Bowlig Green Dr. & Lvedene Dr.

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWS
Date: 4/14/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 4

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Belvedere Dr.</u>			<u>0+00</u>	<u>0+07</u>	<u>CS</u>	
	<u>0+07</u>	<u>1+22</u>	<u>1+22</u>	<u>1+22</u>	<u>VC</u>	<u>greater than 1/2" lip</u>
	<u>1+22</u>	<u>1+52</u>	<u>1+52</u>	<u>1+52</u>	<u>VC</u>	<u>" "</u>
	<u>1+52</u>	<u>1+84</u>	<u>1+84</u>	<u>1+84</u>	<u>VC</u>	<u>" "</u>
	<u>1+84</u>	<u>2+05</u>	<u>2+05</u>	<u>2+05</u>	<u>VC</u>	<u>" "</u>
	<u>2+05</u>	<u>2+18</u>	<u>2+18</u>	<u>2+22</u>	<u>CS</u>	
			<u>2+22</u>	<u>2+32</u>	<u>DS</u>	<u>@ 9134</u>
			<u>2+32</u>	<u>2+47</u>	<u>CS</u>	
	<u>2+47</u>	<u>2+51</u>	<u>2+51</u>	<u>2+75</u>	<u>CS</u>	
	<u>2+75</u>	<u>3+41</u>	<u>3+41</u>	<u>3+41</u>	<u>VC</u>	<u>" "</u>
	<u>3+41</u>	<u>3+46</u>	<u>3+46</u>	<u>3+46</u>	<u>VC</u>	<u>" "</u>
	<u>3+46</u>	<u>3+67</u>	<u>3+67</u>	<u>3+67</u>	<u>VC</u>	<u>" "</u>
	<u>3+67</u>	<u>3+87</u>	<u>3+87</u>	<u>3+87</u>	<u>VC</u>	<u>" "</u>
	<u>3+87</u>	<u>4+27</u>	<u>4+27</u>	<u>4+27</u>	<u>VC</u>	<u>" "</u>

6425a

Right
Pg. 1 of 1

6425a

642sb

Right
Pg. 2 of 2
225Start Point: Bowling Green Dr / Belvedere Dr

Sidewalk Inventory

End Point: Broadstone St.Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J.Date: 4-14-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: ②

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	4+27	4+63	4+63	4+63	VC	greater than 1/2" Lip
	4+63	5+03	5+03	5+03	VC	" "
	5+03	5+75	5+75	5+75	VC	" "
	5+75	6+29	6+29	6+29	VC	" "
	6+29	7+07				
Bowling Green LA ^{4000 Block}	0+00	0+80	0+80	0+80	VC	" "
	0+80	2+52	2+52	2+52	VC	" "
	2+52	3+35				
Belvedere LA ^{4000 Block}	0+00	0+45	0+45	0+74	CS	
Broadstone St.	0+74	2+25				
2+25						

642sb

Start Point: Bel GRAVE Sidewalk Inventory / Belvedere Dr

192

End Point: _____

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

64152

Inspector Name: Tina W/S
Date: 4/14/14

Total Number of Driveways: 11

Street Name: _____

	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Belvedere Dr.	0+00	0+95	0+95	0+99	CS	
	0+99	3+16	3+16	3+16	VC	Greater than 1/2"
	3+16	3+21	3+21	3+21	VC	" " "
	3+21	3+43	3+43	3+43	VC	" " " " "
	3+43	4+31	4+31	4+31	VC	
	4+31	5+13	5+23	5+23	CS	
			5+23	5+23	DS	40/6
			5+23	5+33	CS	
	5+33	5+58	5+58	5+58	VC	Greater than 1" Gap
	5+58	7+49	7+49	7+49	VC	" " 1/2"
	7+49	7+60	7+60	7+60	VC	Water Meter
	7+60	7+63	7+63	7+63	VC	Greater than 1/2" Gap
	7+63	7+83	7+83	7+83	VC	" " " "
	7+83	8+12	8+12	8+12	VC	" " " "

64152

Start Point: BelGene Cir. / Belvedere Dr. Sidewalk Inventory

292

End Point: _____

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

6415b

Inspector Name: TWS
Date: 4/14/14

Total Number of Driveways: 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	8+12	8+67	8+67	8+67	VC	Gravel Run 1/2" Lip
	8+67	10+07	10+07	10+07	VC	" " " "
	10+07	10+25	10+25	10+25	VC	" " " "
	10+25	10+37	10+37	10+53	CS	
			10+53	10+53	DS	4002
			10+53	10+69		
	10+69	11+27	11+27	11+27	VC	Gravel 1/2" Lip
	11+27	11+71				
Belvedere Dr.						
11+71						

6415b

Start Point: Shaw Ridge Dr. / Broadwood Dr. Sidewalk Inventory

192

End Point: _____

Direction of Increasing Station: Rt

Reason Codes for NON-COMPLIANCE:

Inspector Name: _____
Date: _____

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

6405a

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Broadwood Dr.	0+00	1+02	1+02	1+02	VC	Breaker sh $\frac{1}{2}$ " up
	1+02	2+07				
Finsbury Dr.	0+00	0+14	0+14	0+94	CS	
			0+94	0+94	VC	" " " "
			0+94	1+17	CS	
	1+17	1+25	1+25			
	1+17	1+63				
ATTERBURY PL	0+00	0+16	0+16	0+16	VC	" " " "
	0+16	0+65	0+65	1+29	CS	
	1+29	0+37	1+37	1+72	CS	
	1+72	2+65	2+65	2+65	PO	Gas Valve
	2+65	2+72				
ATTERBURY LN	0+00	0+68	0+68	1+16	CS	
9600	1+16	1+71	1+71	1+81	VC	> $\frac{1}{2}$ " up

6405a

292

3493

Start Point: Ethan Ridge / Braidwood Dr

Sidewalk Inventory

End Point: Bishop Gate DrDirection of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

640sb

Inspector Name: TWSDate: 4/14/14Total Number of Driveways: 11 (2)

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	1+71	3+50	3+50	3+50	VC	Greater than 1/2" Cyp
	3+50	4+27	4+27	4+56	CS	
			4+56	4+56	DS	9518
			4+56	4+67	CS	-
	4+67	4+94	4+94	5+03	CS	
	5+03	5+11	5+11	5+39	CS	
	5+39	5+59	5+59	5+59	VC	> 1/2" Cyp
	5+59	5+67	5+67	6+25	CS	
	6+25	7+13	7+13	7+20	CS	
To Tenhou st.	0+00	0+88	0+88	1+34	CS	
	1+34	2+13	2+13	2+13	VC	" " " "
	2+13	2+45	2+45	2+56	CS	
	2+56	2+72	2+72	2+72	VC	" " " "
	2+72	3+28	3+28	3+28	VC	
Bishop Gate Dr	3+28	3+93				

640sb

Start Point:

Circle
Tottenham / Tottenham St.

Sidewalk Inventory

6395a

Right
1 of 52

End Point:

Direction of Increasing Station:

Right

Reason Codes for NON-COMPLIANCE:

Inspector Name:

T. W. J

Date:

4-14-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

11

Street Name:

Compliant

From

To

Non-Compliant

From

To

Code

Comments

Tottenham St			0+00	0+04	CS	
	0+04	1+75	1+75	1+75	VC	greater than 1/2" lip
	1+75	1+97	1+97			
	1+97	3+11	3+11	3+23	CS	
			3+23	3+23	DS	@ 9511
			3+23	3+35	CS	
	3+35	4+61	4+61	5+02	CS	
			5+02	5+02	DS	@ 4117
			5+02	5+12	CS	
	5+12	5+28	5+28	5+44	CS	
	5+44	3+45	3+45	6+00	CS	
	6+00	6+40	6+40	7+06	CS	
	7+06	7+29	7+29	7+67	CS	
	7+67	8+15	8+15	8+49	CS	

6395a

Right
Pg. 2 of 2

639sb

Sidewalk Inventory

Start Point: Tottenham Circle / Tottenham St

End Point: Brushfield Drive

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: T.W.J.
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	8+49	9+08	9+08	9+08	VC	greater than 1/2" Lip
	9+08	9+15	9+15	9+41	CS	
			9+41	9+41	DS	@ 4127
			9+41	9+51	CS	
	9+51	9+98	9+98	10+02	CS	
	10+02	10+18	10+18	10+35	CS	
	10+35	10+48	10+48	10+58	CS	
			10+58	10+58	DS	@ 4129
			10+58	10+69	CS	
	10+69	11+38	11+38	11+38	PO	gas cap
Brushfield Dr.	11+38	11+46				

639sb

(Left)

Start Point: Tottenham Circle / Tottenham Street

Sidewalk Inventory

6386

End Point: Brushfield Drive

Direction of Increasing Station: _____

Inspector Name: T/w/oDate: 4-14-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Tottenham St.	0+00	1+08				
Bishopgate Alley	0+00	0+34	0+34	0+43	CS	
	0+43	1+05				
Bishopgate Dr.	0+00	0+95				
Brushfield Alley	0+00	0+83	0+83		VC	
	0+83	1+20	1+20		VC	
	1+20	1+28	1+28		VC	
	1+28	1+97	1+97		PO	TREE
	1+97	2+10	2+10	2+19	CS	
Brushfield Dr.	2+19					

6386

(Left)

Start Point: Tottenham Street / Ethan Ridge Drive
End Point: Tottenham Circle

6365

Direction of Increasing Station: _____

Inspector Name: T/W/D
Date: 4-14-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Ethan Ridge Dr.	0+00	0+20	0+20	0+63	CS	
	0+63	1+43	1+43	1+51	CS	
Ethan Ridge Alley	0+00	1+23	1+23	1+30	CS	
	1+30	1+38	1+38		VC	
	1+38	3+30				
Tottenham Circle	3+30					

6365

6355

635s

Start Point: Tottenham Court / Ethan Ridge Drive Sidewalk Inventory

Sidewalk Inventory

(left)

6345

End Point: Ethan Ridge Drive

Direction of Increasing Station:

Inspector Name:

Inspector Name: T/W/O
Date: 4-14-14

Date:

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

6

Street Name:

Compliant

From

To

Non-Compliant

From

To

Code

Comments

[illegible]

6345

Start Point: Belgrave Circle / Sidewalk Inventory Belvedere Drive (Circle)

End Point: Belvedere Drive

(Right)

6335

Direction of Increasing Station: _____

Inspector Name: T/W/D
Date: 4-14-14

Reason Codes for NON-COMPLIANCE:
VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

5

Total Number of Driveways: 111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Belvedere Drive	0+00	2+79	2+79		VC	
	2+79	4+26	4+26		DS	4007
			4+26	4+33	CS	
	4+33	4+75	4+75		VC	
	4+75	6+18	6+18	6+42	CS	
	6+42	8+87	8+87	9+15	CS	
	9+15	9+38				
Belvedere Drive	9+38					

6335

Start Point: Bowling Green Dr / Belvedere Drive (Left) Pg 1 of 2
 End Point: Broadstone Street

Direction of Increasing Station: _____

Inspector Name: T/W/D
 Date: 4-14-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object
 DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

6325a

18

Total Number of Driveways: |||| |||| |||| |||

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Belvedere Dr.	0+00	1+55	1+55		VC	
	1+55	1+59	1+59	1+82	CS	
			1+82		DS	9135
			1+82	1+95	CS	
	1+95	3+43	3+43		PO	TREE
	3+43	4+25	4+25		VC	
	4+25	5+07	5+07	5+12	CS	
	5+12	6+70	6+70	6+82	CS	
	6+82	7+28	7+28		PO	TREE
	7+28	8+72	8+72		VC	
	8+72	9+01	9+01		PO	TREE
	9+01	9+53	9+53		PO	TREE
	9+53	12+54	12+54	12+79	CS	
			12+79		DS	9103
			12+79	12+90	CS	

6325a

Start Point: Bowling Green Dr. / Belvedere Drive
 End Point: Broadstone Street

(Left)

P9 2002

Direction of Increasing Station: _____

632sb

Inspector Name: T/w/D
 Date: 4-14-14

Reason Codes for NON-COMPLIANCE:
 VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	12+90	13+20	13+20	13+40	CS	
	13+40	14+00	14+00	14+ 28 28	CS	
	14+16 14+28	14+64	14+64	14+72	CS	
Broadstone St.	14+72					

632sb

(Right)

Start Point: Addison Woods Rd. / Sugarleaf Pkwy
 End Point: Byron Circle

Pg 1 of 3

6315a

Direction of Increasing Station:

Inspector Name:

T/V/D

Date:

4-14-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Sugarleaf Pkwy			0+00		VC	
	0+00	0+79	0+79	0+85	CS	
	0+85	2+48	2+48		VC	
	2+48	2+56	2+56		VC	
	2+56	2+64	2+64		VC	
	2+64	3+16	3+16		VC	
	3+16	4+32	4+32		VC	
	4+32	4+39	4+39		VC	
	4+39	4+88	4+88		VC	
	4+88	5+00	5+00	5+39	CS	
	5+39	6+25	6+25		VC	
	6+25	6+40				
Connor Place	0+00	0+42	0+42		VC	
	0+42	0+55	0+55		VC	

6315a

Start Point: Addison Woods Rd. / Sugarloaf Pkwy (Right) 631sb
 End Point: Byron Circle pg 2 of 3

Direction of Increasing Station: _____

Inspector Name: T/W/D
 Date: 4-14-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 1

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	0+55	1+83	1+83	1+99	CS	
	1+99	2+46	2+46		VC	
	2+46	2+56	2+56	2+84	CS	
	2+56 2+84	3+49	3+49		VC	
	3+49	3+77				
Singleton Place			0+00		VC	
	0+00	0+25	0+25		PO	
	0+25	1+07	1+07	1+15	CS	
	1+15	3+81	3+81	3+96	CS	
	3+96	4+97	4+97		VC	
	4+97	7+74	7+74		VC	manhole
	7+74	8+02	8+02		VC	
	8+02	9+94	9+94		VC	
	9+94	10+14	10+14		VC	

631sb

(Right)

631sc

Start Point: Addison Woods Road Sidewalk Inventory Sugarloaf Pkwy

pg 3 of 3

End Point: Byron Circle

Direction of Increasing Station:

Inspector Name:

T/w/d

Date:

4-14-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	10+14	10+31	10+31		VC	
	10+31	11+61	11+61		VC	GAS VALVE
	11+61	11+97	11+97		VC	GAS VALVE
	11+97	12+28	12+28		VC	
	12+28	12+40	12+40		VC	
	12+40	12+68	12+68		VC	
	12+68	13+09	13+09	13+25	CS	
	13+25	16+17				
Byron Circle	16+17					

631sc

6305

End Point: Addison Woods Road

Direction of Increasing Station:

Inspector Name: T/W 10
Date: 4-14-14

PO Protruding Object

WP Width of Panel

Total Number of Driveways:

Compliant

Street Name: _____ From _____

Non-Compliant

From _____ To _____

Code

Comments

[illegible]

630s

6295

Start Point: Addison Woods Rd. / Byron Circle Sidewalk Inventory

(Right)

6285

End Point: Campus Drive

Direction of Increasing Station: _____

Inspector Name: T/w/d
Date: 4-14-19

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

3

Total Number of Driveways: 111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Byron Circle	0+00	0+63	0+63		VC	
	0+63	1+27	1+27	1+36	CS	
			1+36		DS	3641
			1+36	1+70	CS	
	1+70	2+46	2+46	2+54	CS	
			2+54		DS	3639
			2+54	2+63	CS	
	2+63	2+77	2+77	3+23	CS	
	3+23	4+67				
Campus Dr.	4+67					

6285

Start Point: Byron Place / Byron Circle Sidewalk Inventory

End Point: Byron Circle

Direction of Increasing Station: *R+*

Inspector Name:

Date:

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

⑦

Street Name:

From

Compliant

To

Non-Compliant

From

To

Code

Comments

[illegible]

6275

(Right)

Start Point: Byron Circle / Sidewalk Inventory House Address 3673

pg 1 of 2

626sa

End Point: Byron Ct.

Direction of Increasing Station: _____

Inspector Name: T/W/DDate: 4-14-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

(21)

Total Number of Driveways: |||||

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Address #3673	0+00	1+26				
Addison Woods Rd.	0+00	5+01	5+01		VC	
	5+01	7+85	7+85		VC	
	7+85	8+67	8+67		VC	
	8+67	9+26	9+26	9+37	CS	
	9+37	9+71				
Byron Place			0+00	0+50	CS	
			0+50		DS	3675
			0+50	1+17	CS	
			1+17		DS	3647
			1+17	1+26	CS	
	1+26	2+48	2+48		DS	3649
			2+48	2+57	CS	
	2+57	4+32	4+32		DS	3655

626sa

(Right)

626sb

Start Point: Byron Circle / Sidewalk Inventory House Address 3673

pg 2 of 2

End Point: Byron Court

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/D

Date: 4-14-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

③

Total Number of Driveways: 111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
			4+32	4+42	CS	
	4+42	4+99	4+99		DS	3657
			4+99	5+08	CS	
	5+08	6+58	6+58		PO	TREE
	6+58	7+20	7+20		PO	Bush
	7+20	7+69				
Byron Ct.	7+69					

626sb

Sidewalk Inventory
Start Point: Winding Ridge Way @ Dead END

End Point: Baltimore Rd

Direction of Increasing Station: RT

6245

Reason Codes for NON-COMPLIANCE:

Inspector Name: BE
Date: 9-11-19

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 9

Street Name: <u>Winding Ridge Way</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Dead END</u>	0+00	0+90	0+90	0+98	CS	
<u>Little Springs CT</u>	0+00	1+97	1+97	/	VC	sewer %
	1+97	3+05	3+05	/	VC	
	3+05	4+71	4+71	/	VC	
	4+71	6+53	6+53	6+65	CS	
	6+65	7+18	7+18	/	VC	Storm Drain VHT
	7+18	8+65	8+65	/	VC	
	8+65	9+80	9+80	/	VC	
	9+80	10+72	10+72	/	VC	
	10+72	10+80	10+80	/	VC	
	10+80	10+92	10+92	11+12	CS	
	11+12	13+52	13+52	/	VC	Gas Valve box
	13+52	13+84	13+84		VC	
	13+84	13+87	13+87	13+93	CS	END @ Baltimore Rd

6245

Start Point: Whitmore Lane / Charterhouse Road (Right)

End Point: Charterhouse Rd.

6235

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W
Date: 7-11-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 9

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Charterhouse Rd.	0+00	3+60	3+60		DS	9108
			3+66	3+83	CS	
	3+83	5+32	5+32		VC	Large Gap
	5+32	6+66	6+66	6+87	CS	
	6+87	7+50	7+50		VC	Gas valve
	7+50	7+61	7+61	7+65	CS	
Charterhouse Rd.	(7+65)					

6235

6225

Whitmore

Start Point: ~~Whitmore La~~ / ^{Sidewalk Inventory} Charterhouse Rd

End Point: Charterhouse Rd

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWSJ
Date: 4-11-14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways:

11

6

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Charterhouse Rd	0+00	1+43	1+43	1+43	VC	greater than 1/2" Lip
	1+43	1+55	1+55	1+55	VC	" "
	1+55	1+79	1+79	1+79	VC	" "
	1+79	2+30	2+30	2+30	VC	" "
	2+30	2+58	2+58	2+58	VC	" "
	2+58	3+35	3+35	3+35	VC	" "
	3+35	3+47	3+47	3+47	VC	" "
	3+47	3+65	3+65	3+65	VC	" "
	3+65	4+13	4+13	4+13	VC	" "
	4+13	4+44	4+44	4+44	VC	" "
	4+44	5+28	5+28	5+28	VC	" "
Charterhouse Rd	5+28	6+75				

Sidewalk Inventory

Start Point: Vineyard Path @ Barn Gate Circle

End Point: " " " "

6215

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: RU/JH

Date: 4/11/19

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 10

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
BARN GATE CIR	0+00	0+20	0+20		VC	
Vineyard CT	0+20	1+31				
	0+00	0+13	0+13	0+35	CS	
	0+35	0+66	0+66		DS	11832
	0+66	1+31	1+31		PO	
	1+31	2+41	2+41		VC	
	2+41	5+44	5+44		VC	
BARN GATE CIR	5+44	6+10				

6215

Start Point: Shafers Mill Dr / Carrige Hill Drive ^{Sidewalk Inventory} (Right)
 End Point: CHARTERHOUSE Rd.

6105

Direction of Increasing Station: _____

Inspector Name: T/W
 Date: 4-11-14

Reason Codes for NON-COMPLIANCE:
 VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

9

Total Number of Driveways: |||| 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Carrige Hill Dr.	0+00	1+34				
Pool Entrance	0+00	1+47	1+47	1+51	CS	
	1+51	6+02	6+02	6+12	CS	
Shafers Mill Ct.			0+00	0+10	CS	
	0+10	4+70	4+70		DS	9200
			4+70	4+90	CS	
	4+90	5+68	5+68	5+73	CS	
CHARTERHOUSE Rd.	5+73					

16195

Start Point: Shafers Mill Ct. / Shafers Mill Dr. Sidewalk Inventory

End Point: Shafers Mill Dr.

Direction of Increasing Station:

Inspector Name:

Date:

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name:

From

To

Non-Compliant

From

To

Code

Comments

[illegible]

6185

Start Point:

Shaffers Mill Dr / Carriage Hill Dr

Sidewalk Inventory

192

61750

End Point:

Direction of Increasing Station:

Left

Reason Codes for NON-COMPLIANCE:

Inspector Name:

TWS

Date:

10/11/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name:

Compliant

Non-Compliant

Street Name:	From	To	From	To	Code	Comments
Carriage Hill Dr	0+00	1+06	1+06	1+06	VC	Greater than 1/2" lip
	1+06	2+52	2+52	2+52	VC	" " " "
			2+52	2+62	CS	
			2+62	2+62	DS	#9225
			2+62	2+72	CS	
	2+72	3+26	3+26	3+26	VC	" " " "
	3+26	3+45	3+45	3+61	CS	
	3+61	4+17	4+17	4+17	VC	" " " "
	4+17	4+63	4+63	4+63	VC	> 1/2" lip
	4+63	6+73	6+73	6+73	VC	" " " "
	6+73	6+85	6+85	6+98	CS	
			6+98	6+98	DS	9213
			6+98	7+08	CS	
	7+08	9+72	9+72	9+72	VC	> 1/2" lip

61750

64

16/17/50

(Left)

6165

Start Point: Pentose Street / Carriage Hill Drive

End Point: Charterhouse Rd.

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name: T/W

Date: 4-11-14

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
CARRIAGE HILL DR.	0+00	1+27				
DUNRAVEN ALLEY	0+00	1+08	1+08	1+39	CS	
CHARTERHOUSE DR.	1+39					

6165

Start Point: Pearblossum PL @ Kernate Cir Sidewalk Inventory

End Point: Burn rate cir

5

Reason Codes for NON-COMPLIANCE:

Inspector Name: 157K4134

Date: 4-11-14

VC Vertical Clearance

PP Pinch Point

PZ: Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 11

Street Name: Pear blossom PL From Compliant

Compliant

Non-Compliant

Street Name: Law Blossom Pl From

To

From

To

Code.

Comments

[illegible]

615s

Start Point: Morningstar Ln @ BoboLink Trail

End Point: Go'ing to the New World

Direction of Increasing Station: 

61AS

Inspector Name: EH
Date: 4/15/19

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

PO Protruding Object

Total Number of Driveways: 0

Compliant

Non-Compliant

Street Name:

From

To

From

To

Code

Comments

[illegible]

6145

Start Point: Morningside Ct @ Morningside Ln

End Point: 66 16 11 11

Direction of Increasing Station: 21

Reason Codes for NON-COMPLIANCE:

Inspector Name: Rix

Name: RH/JS
Date: 4/10/14

PP Pinch Point

PZ: Passing Zone

PO Protruding Object

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 5

Compliant  **Non-Compliant**

Non-Compliant

From

To

From

To

Code

Comments

6135

MORNING GATE LN

Sidewalk Inventory

Start Point:

Morninggate Ln @ 1st St

End Point:

Morninggate Ln @ Meadow Way

Direction of Increasing Station:

CT

6125

Reason Codes for NON-COMPLIANCE:

Inspector Name:

RH/24

Date:

4/16/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
B+ 144	0+00	0+18	0+18		VC	
	0+18	2+12	2+12	2+22	CS	
McDonald's Driv	0+00	0+19	0+19		PP	
	0+19	1+78				
Morninggate CT	0+00	0+77				
Morninggate CT	0+00	0+66	0+66		VC	
	0+66	1+05	1+05		VC	
	1+05	2+08	2+08		VC	
	2+08	2+18				
Bobolink PL	0+00	0+41	0+41	0+54	CS	
	0+54	1+64				

6125

Sidewalk Inventory

Start Point: MOSS ROCK WAY @ WOODSPRING DR

End Point: DEAD END @ PLAY GROUND.

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH, RH, BF
Date: 1/11/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

GIS

PLAY GROUND
POND CREST CT
WOODSPRING

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
WOODSPRING DR 0+00		0+71				
WOODSPRING DR 0+71		0+71				1
WOODSPRING DR 0+00		2+74				
POND CREST CT 0+00		2+74				
POND CREST CT 0+00		0+83				DEAD END @ PLAY GROUND.
PLAYGROUND		0+83	FEND			

18FZ

Start Point: LITTLE SPRING CT @ WINDING RIDGE AVEEnd Point: WINDING RIDGE WAYDirection of Increasing Station: RT

61052

Reason Codes for NON-COMPLIANCE:

Inspector Name: RH JHDate: 4/11/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 13

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
WINDING RIDGE WAY	0+00	2+35	2+35		VC	APRON CAN BE USED AS 72'
	2+35	3+00	3+00		PO	BASKET BALL HOOP
	3+00	3+28	3+28		VC	
	3+28	4+02	4+02		VC	
	4+02	4+33	4+33		VC	
	4+33	4+74	4+74		VC	
	4+74	4+96	4+96		VC	
	4+96	6+25	6+25		VC	
	6+25	6+53	6+53		VC	
	6+53	7+16	7+16		VC	
	7+16	7+21	7+21		PO	BASKET BALL HOOP
	7+21	7+33	7+33		VC	
	7+33	8+05	8+05		VC	
	8+05	8+22	8+22		VC	
	8+22	8+34	8+34		VC	
	8+34	8+75	8+75		VC	
	8+75	8+95	8+95		VC	

61052

Sidewalk Inventory

Start Point: LITTLE STRING CT @ WINDING RIDGE WAY

End Point: WINDING RIDGE WAY

Mailing Station: KT

6105b

Inspector Name: B. H. H.
Date: 4/11/10

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

[illegible]

6105b

16F1

Start Point: HAYCOCK CT @ LITTLES PRING WAY

End Point: LITTLE SPRING WAY

Direction of Increasing Station: RT

6095

Reason Codes for NON-COMPLIANCE:

Inspector Name: RH, JH
Date: 4/11/19

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 7

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
LITTLES PRING WAY	0+00	0+16	0+16		VC	APRONS CAN BE USED
	0+16	2+08	2+08		VC	AS PZ'S
	2+08	2+45	2+45		VC	
	2+45	3+05	3+05		VC	
LITTLE SPRING WAY	3+05	4+60	END			

6095

(Left)

Start Point: Charterhouse Rd. / Penrose Street

pg 1 of 3

End Point: Asphalt path / cul-de-sac

Direction of Increasing Station: (Left)

60750

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W
Date: 4-11-14

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

20

Total Number of Driveways: IIII IIII IIII IIII

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Penrose St.	0+00	1+78	1+78		VC	
	1+78	2+15	2+15		VC	
	2+15	2+73	2+73		VC	
	2+73	3+70	3+70		VC	
	3+70	5+17	5+17		VC	
	5+17	5+37	5+37		DS	9225
	5+37		5+37	5+46	CS	
	5+46	6+81	6+81		VC	
	6+81	7+61	7+61		VC	
	7+61	8+41	8+41		DS	9215
			8+41	8+51	CS	
	8+51	13+75	13+75		DS	9201
			13+75	13+90	CS	
	13+90	14+41	14+41		VC	

160752

Start Point: Charterhouse Drive / Penrose St. ^{Sidewalk Inventory} (Left)
 End Point: asphalt path / cul-de-sac

pg 2 of 3

6075b

Direction of Increasing Station: _____

Inspector Name: T/w
 Date: 4-11-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

12

Total Number of Driveways: |||| |||| 11

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	14+41	16+44	16+44	16+62	CS	
			16+62		DS	9129
			16+62	16+80	CS	
	16+80	17+52	17+52		DS	9127
			17+52	17+61	CS	
	17+61	18+96	18+96		VC	
	18+96	19+09	19+09		VC	
	19+09	19+21	19+21		VC	
	19+21	19+82	19+82		VC	
	19+82	20+54	20+54		VC	
	20+54	23+17	23+17		DS	9113
			23+17	23+26	CS	
	23+26	23+71	23+71	23+91	CS	
			23+91		DS	
			23+91	24+01	CS	

6007sb

Start Point: Charterhouse Drive / Penrose St. Sidewalk Inventory

Sidewalk Inventory

pg 3 of 3

End Point: Asphalt path / Cul-d-sac

Direction of Increasing Station:

Inspector Name: T/w
Date: 9-11-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		

[illegible]

60750

Start Point: Charterhouse Rd / Penrose St.

End Point: _____

Direction of Increasing Station: Right

6065a

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J
Date: 4-11-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 1

Street Name: _____

Compliant

Non-Compliant

From	To	From	To	Code	Comments
Penrose St	0+00	0+43			
Alley @ 9230			0+00	0+05	CS
	0+05	1+35	1+35	1+35	VC greater than 1/2" Lip
	1+35	4+12	4+12	4+12	VC " "
	4+12	4+28	4+28	4+32	CS
	4+32	5+62	5+62	5+88	CS
			5+88	5+88	DS @ 9216
			5+88	6+06	CS
	6+06	6+41	6+41	6+41	VC greater than 1/2" Lip
	6+41	6+98	6+98	6+98	VC " "
	6+98	7+24	7+24	7+24	VC " "
	7+24	7+58	7+58	7+58	VC " "
	7+58	8+89	8+89	9+00	CS
			9+00	9+14	CS

6065a

Right
pg-204

6065b

Start Point: Charterhouse DR / Penrose St.

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: T. W. J
Date: 4-11-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 11

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
			9+14	9+14	DS	@ 9208
			9+14	9+23	CS	
	9+23	9+66	9+66	9+66	VC	greater than 1/2" Lip
Shafers Mill DR	9+66	12+78				
			0+00	0+10	CS	
	0+10	0+26	0+26	0+35	CS	
	0+35	1+62	1+62	1+72	CS	
			1+72	1+72	DS	@ 9126
			1+72	1+84	CS	
	1+84	2+59	2+59	2+63	CS	
	2+63	4+15	4+15	4+15	VC	greater than 1/2" lip
	4+15	4+45	4+45	4+49	CS	
Whitmore LA	0+00	1+68	1+68	1+68	VC	> 1/2" lip
	1+68	2+79	1+68 2+79	2+87	CS	

6065b

Start Point: Charterhouse Dr. / Penrose St.

60650

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: T.J.W
Date: 4-11-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	2+87	4+63	4+63	4+63	VC	greater than 1/2" Lip
	4+63	5+25	5+25	5+38	CS	
	5+38	5+75				
	5+38	5+75	5+75	5+75	VC	" "
	5+75	6+27	6+27	6+27	VC	" "
	6+27	6+89				
@ 9106 Whitmore LA ^(w)			0+00	0+31	CS	
	0+31	0+56	0+56	1+01	CS	
			1+01	1+01	DS	@ 9106
			1+01	1+20	CS	manhole lid
	1+20	1+55	1+55	1+75	CS	
			1+75	1+75	DS	@ 9104
			1+75	1+85	CS	
	1+85	1+90	1+90	1+90	VC	manhole lid

60650

606SD

Sidewalk Inventory

Start Point: Charterhouse Dr / Whitmore LA @ 9100

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: T.W.J
Date: 4-11-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	1+90	2+34	2+34	2+34	VC	greater than 1/2" lip
			2+34	2+52	CS	
			2+52	2+52	DS	@ 9102
			2+52	2+62	CS	
	2+62	2+95	2+95	3+32	CS	
			3+32	3+32	DS	@ 9100
			3+32	3+60	CS	
	3+60	3+95	3+95	4+09	CS	
Asphalt Sidewalk @ 9101			4+09	4+51	CS	

1606SD

Sidewalk Inventory

Start Point: Cherrywood CT @ Barngate Cir

6055

End Point: Barngate Cir

Direction of Increasing Station: RT


Reason Codes for NON-COMPLIANCE:

Inspector Name: BF/RH/SH
Date: 4-11-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 8



Street Name: <u>Cherrywood CT</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Barngate Cir</u>	<u>0+00</u>	<u>3+14</u>	<u>3+14</u>	<u>/</u>	<u>VC</u>	
	<u>3+14</u>	<u>3+68</u>	<u>3+68</u>	<u>/</u>	<u>VC</u>	
	<u>3+68</u>	<u>4+87</u>				<u>END @ Barngate Cir</u>

6055

Sidewalk Inventory

Start Point: Bucks Run Tr @ Barngate Cir

End Point: Barngate Cir

Direction of Increasing Station: LT

6045

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF
Date: 4-11-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 6

Street Name: <u>Bucks Run Trail</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Barngate Cir.</u>	<u>0+00</u>	<u>0+93</u>	<u>0+93</u>	<u>/</u>	<u>VC</u>	
	<u>0+93</u>	<u>5+44</u>	<u>5+44</u>	<u>5+60</u>	<u>CS</u>	
	<u>5+60</u>	<u>6+32</u>	<u>6+32</u>	<u>/</u>	<u>VC</u>	
	<u>6+32</u>	<u>8+14</u>				<u>END @ Barngate Cir</u>

6045

6035

Start Point: Bucks Run Trail @ Barngate CircleEnd Point: BARNGATE CIRDirection of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: RH/4
Date: 4/11/14VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding ObjectDS Driveway Cross Slope
CS Panel Cross Slope
WP Width of PanelTotal Number of Driveways: 7

6035

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Barngate Cir	0+00	0+19	0+19	0+43	CS	
	0+43	0+75	0+75	0+90	CS	
	0+90	1+15	1+15	1+31	CS	
FAWN CT	1+31	1+54				
	0+00	1+00	1+00	1+21	CS	
HART GLEN CT	1+21	2+06				
	0+00	0+66	0+66		VC	
	0+66	1+31	1+31		VC	
	1+31	1+94	1+94	2+18	CS	
BARNGATE CIR	2+18	5+11	FEED			

6035

Start Point: Broadstone Street / ~~Belvedere~~ Belvedere Dr. ^{Sidewalk Inventory} Circle (Left) pg 1 of 2 60250

End Point: Broadstone Circle

Direction of Increasing Station: _____

Inspector Name: T/W
Date: 4-11-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

(17)

Total Number of Driveways: |||||

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Belvedere Dr.	0+00	1+11	1+11		DS	4017
			1+11	1+22	CS	
	1+22	2+50	2+50		VC	M/H
	2+50	4+54				
Bowling Green Dr.			0+00	0+14	CS	
	0+14	1+18 3+18	3+18		DS	4003
			3+18	3+30	CS	
	3+30	3+92	3+92		VC	
	3+92	4+89	4+89		DS	4002
			4+89	5+04	CS	
	5+04	5+51	5+51		DS	4004
			5+51	5+59	CS	
	5+59	7+66	7+66	7+69	CS	Gas Valve in panel
	7+69	9+06	9+06		VC	

60250

Start Point: BROADSTONE CIR / BELVEDERE DR.

End Point: BELVEDERE DR.

Direction of Increasing Station: RT

Broadstone - air
6015
Belvedere

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWS
Date: 4/11/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 11

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Belvedere Dr.			0+00	0+03	CS	
	0+03	0+55	0+55	0+69	CS	
			0+69	0+69	DS	4032
			0+69	0+88	CS	
	0+88	1+67	1+67	1+67	VC	Greater than 1/2" air.
	1+67	2+11	2+11	2+15	CS	ive
	2+15	2+82	2+82	2+82	VC	" " " "
	2+82	3+67				
Belvedere Dr.						
367						

SQA

Inspector Name: KH
Date: 8/18/14

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

ys: 

5995

5985

Start Point: Babolink PI @ Sidewalk Inventory Morning Gate Ln

End Point: Morning Gate Ln

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF
Date: 4-11-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 11

Street Name: Babolink PI	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Morning Gate Ln	0+00	1+05	1+05	/	VC	
	1+05	1+23	1+23	/	VC	
	1+23	5+84				END @ Morning Gate

5985

Sidewalk Inventory
Start Point: Bobolink Trail @ Morning Gate Ln

End Point: Morning Gate Ln

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF
Date: 4-11-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 8

5975

Street Name: <u>Bobolink Tr.</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Morning Gate Ln</u>	<u>0+00</u>	<u>1+13</u>	<u>1+13</u>	<u> </u>	<u>PO</u>	<u>Bush</u>
	<u>1+13</u>	<u>2+78</u>	<u>2+78</u>	<u> </u>	<u>VC</u>	
	<u>2+78</u>	<u>4+30</u>	<u>4+30</u>	<u>4+40</u>	<u>CS</u>	
			<u>4+30</u>	<u> </u>	<u>VC</u>	
			<u>4+40</u>	<u> </u>	<u>VC</u>	
	<u>4+40</u>	<u>4+59</u>				<u>END @ Morning Gate Ln</u>

5975

194

Start Point: BCLK Rere Dr. Brushfield Dr.

5965a

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWS
Date: 4/11/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: III III III

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Brushfield Dr.	0+00	0+03	0+03	0+69	CS	greater than 1/2" up.
	0+69	1+39	1+39	1+39	VC	" " " "
	1+39	1+55	1+55	1+64	CS	
			1+64	1+64	DS	9158
			1+64	1+91	CS	
	1+91	2+16	2+16	2+32	CS	
			2+32	2+32	DS	9156
			2+32	2+41	CS	
	2+41	2+49	2+49	2+69	CS	
	2+69	2+85	2+85	2+88	CS	
	2+88	6+99	6+99	7+11	CS	7 less 1/2" up.
	7+11	9+50	9+50	9+50	VC	" " " "
	9+50	9+66	9+66	9+75	CS	
			9+75	9+75	DS	9134
			9+75	9+85	CS	

5965a1

294

5965b

Start Point: Belvue Road Dr / Brushy Creek Dr

Sidewalk Inventory

End Point: _____

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: WTSDate: 4/11/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 1111
TIN ~~1111~~

Street Name: _____

Compliant

Non-Compliant

From	To	From	To	Code	Comments
9+85	10+91	10+91	11+12	CS	greater than 1/2" Lip.
11+12	11+30	11+30	11+39		
		11+39	11+39	DS	9130
		11+39	11+48	CS	
11+48	11+87	11+87	11+87	VC	> 1/2" Lip
11+87	12+07	12+07	12+12	CS	
12+12	12+31	12+31	12+31	PO	Sewer Clean out 1 1/2" above sidewalk.
12+13	12+72	12+72	12+80	CS	
12+80	13+25	13+25	13+50	CS	
13+50	14+07	14+07	14+34	CS	
		14+34	14+34	DS	9122
		14+34	14+48	CS	
14+48	15+22	15+22	15+22	VC	> 1/2" Lip
15+22	15+47	15+47	15+47	VC	" " "

5965b

394

596sc

Start Point: Belvedere Dr / Brushfield Dr

End Point: _____

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: WST
Date: 4/1/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	14 15+47	15+56	15+56	15+56	VC	Greater than 1/2" Lip
	15+56	16+02	16+02	16+15	CS	
			16+15	16+15	DS	9118
			16+15	16+24	CS	
	16+24	16+36	16+36	16+36	VC	> 1/2" Lip
	16+36	17+44	17+44	17+44	VC	
	17+44	18+94	18+94	19+04	CS	
			19+04	19+04	DS	9110
			19+04	19+14	CS	
	19+14	19+31	19+31	19+31	VC	> 1/2" Lip
	19+31	20+09	20+09	20+09	VC	
	20+09	20+57	20+57	20+67	CS	
			20+67	20+67	DS	9106
			20+67	20+77	CS	

596sc

494

596SD

Start Point: Belvedere Dr / Brushfield Dr

End Point: Broadstone City

Direction of Increasing Station: Rt

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWS
Date: 4/11/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	20+77	20+96	20+96	21+10	CS	
			21+10	21+10	DS	9/04
			21+10	21+38	CS	
	21+38	22+36	22+36	22+36	VC	Greater than 1/2" lift
			22+36	22+64	CS	
	22+64	22+84	22+84	22+96	CS	
	22+96	23+24	23+24	23+48	CS	
	23+48	23+62				
Broadstone City						
4032						

596SD

Start Point: Belvedere Drive / Sidewalk Inventory Brushfield Drive (Left)
 End Point: Brandsome St.

pg 1 of 2

Direction of Increasing Station: _____

Inspector Name: T/W
 Date: 4-11-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

5955a

10

Total Number of Driveways: 111 ~~111~~

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Brushfield Dr.	0+00	1+23				
Brushfield Circle	0+00	2+27	2+27		VC	
	2+27	2+74				
Carringe Hill Dr.	0+00	0+96				
Carringe Hill Dr.	0+00	2+32				
Belgrave Circle	0+00	1+68	1+68		VC	
	1+68	3+48				
Belgrave Circle	0+00	0+08	0+08		VC	
	0+08	0+98	0+98		VC	
	0+98	1+25	1+25		DS	9133
			1+25	1+35	CS	
	1+35	2+80				
Bowling Green Dr.	0+00	1+65	1+65		DS	9127
			1+65	1+77	CS	

5955a

Start Point: Belvedere Drive / ^{Sidewalk Inventory} Brushfield Drive

(Le4)

pg 2 of 2

End Point: Broadstone St.

Direction of Increasing Station:

Inspector Name: T/w
Date: 4-11-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

6

595sb

Total Number of Driveways: 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	1+77	2+13	2+13	2+41	CS	
			2+41		DS	9125
			2+41	2+62	CS	
Bowling Green Lane	0+00	1+40	1+40		DS	9115
			1+40	1+50	CS	
	1+50	1+92	1+92		DS	9113
			1+92	2+02	CS	
	2+02	2+48				
Belvedere Lane	0+00	1+39	1+39		VC	
	1+39	1+42	1+42	1+61	CS	
			1+61		DS	9099
			1+61	1+71	CS	
	1+71	1+84	1+84		VC	
	1+84	2+47				

Broadstone St. 2+47

595sb

111

5935a

Start Point: Pebble Beach Terr @ Broadmoor Terr N

End Point: 10028 Pebble Beach Terr

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: OZ, KA
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 6

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Broadmoor Terr N</u>	<u>0+00</u>	<u>0+34</u>	<u>0+34</u>	<u>-</u>	<u>VC</u>	
	<u>0+34</u>	<u>0+80</u>	<u>0+80</u>	<u>-</u>	<u>VC</u>	
	<u>0+80</u>	<u>2+33</u>	<u>2+33</u>	<u>2+49</u>	<u>CS</u>	
	<u>2+49</u>	<u>3+94</u>	<u>3+94</u>	<u>-</u>	<u>VC</u>	
	<u>3+94</u>	<u>4+14</u>	<u>4+14</u>	<u>-</u>	<u>VC</u>	
	<u>4+14</u>	<u>4+35</u>	<u>4+35</u>	<u>-</u>	<u>VC</u>	
	<u>4+35</u>	<u>5+43</u>	<u>5+43</u>	<u>-</u>	<u>VC</u>	
	<u>5+43</u>	<u>6+22</u>	<u>6+22</u>	<u>-</u>	<u>VC</u>	
	<u>6+22</u>	<u>6+43</u>	<u>6+43</u>	<u>-</u>	<u>VC</u>	
	<u>6+43</u>	<u>6+91</u>	<u>6+91</u>	<u>7+21</u>	<u>CS</u>	
	<u>7+21</u>	<u>7+85</u>	<u>7+85</u>	<u>-</u>	<u>VC</u>	
	<u>7+85</u>	<u>8+08</u>	<u>8+08</u>	<u>-</u>	<u>VC</u>	
	<u>8+08</u>	<u>8+28</u>	<u>8+28</u>	<u>-</u>	<u>VC</u>	
	<u>8+28</u>	<u>8+40</u>	<u>8+40</u>	<u>-</u>	<u>VC</u>	

5935a

HA
7576
1.43

2 of 2
5935b

Sidewalk Inventory
Start Point: Pebble Beach Ter Broadmoor Ter N
End Point: 10088 Pebble Beach Ter.

Direction of Increasing Station: _____

Inspector Name: OZ, KA
Date: 4/10/14

Reason Codes for NON-COMPLIANCE:
VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 6

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	8+40	9+07	9+07	—	VC	
	9+07	9+07	9+07	9+82	CS	
	9+82	10+07	10+07	—	VC	
	10+07	11+43	11+43	—	VC	
	11+43	13+20				
Berwick PIN	0+00	0+19	0+19	0+36	CS	
	0+36	1+50	1+50	—	VC	
	1+50	1+50	1+50	2+97	CS	
	2+97	3+37	3+37	7+23	CS	
	7+23	7+72	7+72	—	VC	
	7+72	7+72	7+72	7+93	CS	End

5935b

5925a

Sidewalk Inventory

Start Point: Ritchie Dr @ Holly Hills Country Club ①End Point: Ritchie Way

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: OZ, KA
Date: 4/10/14VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding ObjectDS Driveway Cross Slope
CS Panel Cross Slope
WP Width of PanelTotal Number of Driveways: 4

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Holly Hills Country Club			0+00	1+73	CS	
	1+73	2+16	2+16	2+24	CS	
	2+24	2+54	2+54	3+26	CS	
	3+26	3+67	3+67	4+48	CS	
	4+48	5+50	5+50	5+50	PO	tree
	5+50	6+36	6+36	7+34	CS	
	7+34	7+71	7+71	—	VC	
	7+71	7+71	7+71	10+68	CS	
Entrance			0+00	3+71	DS	9925
	3+71	3+71	3+71	5+82	CS	
	5+82	5+82	5+82	5+82	DS	9923
	5+82	5+82	5+82	6+46	CS	
	6+46	6+46	6+46	6+46	DS	9921
	6+46	6+46	6+46	7+62	CS	

5925a

592sb

Start Point: Ritchie Dr. @ Holly Hills Country Club

End Point: Ritchie Way

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: 02, KA

Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	7+62	7+62	7+62	7+62	DS	9919
	7+62	7+62	7+62	8+64	CS	
	8+64	8+64	8+64	8+64	DS	9917
	8+64	8+64	8+64	9+73	CS	
	9+73	9+73	9+73	9+73	DS	9915
	9+73	9+73	9+73	10+20	CS	
	10+20	11+52	11+52	12+08	CS	
	12+08	12+38	12+38	13+42	CS	
	13+42	13+42	13+42	13+42	DS	9911
	13+42	13+42	13+42	14+32	CS	
	14+32	14+32	14+32	14+32	DS	9909
	14+32	14+32	14+32	16+70	CS	
	16+70	16+70	16+70	16+70	DS	9907
	16+70	16+70	16+70	19+66	CS	

592sb

End Point: Richie Law

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

[illegible]

59250

Sais

End Point: Private Path

Direction of Increasing Station: Li

Inspector Name: OZ, RA
Date: 4/10/14

WP Width of Panel

Total Number of Driveways: ~~0~~

Non-Compliant

Comments

[illegible]

5915

Start Point: Roy Ct. @ Royal Oak Dr R

End Point: Royal Oak Dr

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: OZ, KA
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 5

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Oak Dr.	0+00	0+34	0+34	0+75	CS	
	0+75	0+90	0+90	1+15	CS	
	1+15	1+28	1+28	1+32	CS	
Sponseller Ct.	0+00	0+09	0+09	0+86	CS	
	0+86	0+86	0+86	—	VC	
	0+86	2+12	2+12	—	VC	
	2+12	2+26	2+26	—	VC	
	2+26	2+60	2+60	—	VC	
	2+60	2+65	2+65	2+65	DS	5513
	2+65	2+70	2+70	—	VC	
	2+70	2+70	2+70	2+85	CS	
	2+85	3+35	3+35	—	VC	
	3+35	3+35	3+35	3+44	CS	
	3+44	3+44	3+44	3+44	DS	5513

5905a

1 of 3
5905a

5905b

Start Point: Roy Ct @ Royal Oak Dr R

End Point: Royal Oak Dr

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: OZ, KA
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 15

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	3+44	3+44	3+44	3+70	CS	
	3+70	4+39	4+39	—	VC	
	4+39	4+50	4+50	—	VC	
	4+50	4+99	4+99	—	VC	
	4+99	5+75	5+75	5+96	CS	
	5+96	5+96	5+96	—	VC	
	5+96	6+07	6+07	—	VC	
	6+07	6+36	6+36	—	VC	
	6+36	6+87	6+87	7+22	CS	
	7+22	7+22	7+22	7+22	DS	5516
	7+22	7+22	7+22	7+55	CS	
	7+55	9+55	9+55	—	VC	
	9+55	10+16	10+16	—	VC	
	10+16	10+27	10+27	10+27	DS	5506

5905b

590sc

Sidewalk Inventory

Start Point: Roy Ct @ Royal Oak Dr R

End Point: Royal Oak Dr

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: OZ, KA
Date: 4/10/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 3

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	10+27	10+27	10+27	10+36	CS	
	10+36	10+41	10+41	—	VC	
	10+41	10+62	10+62	—	VC	
	10+62	10+82	10+82	—	VC	
	10+82	11+37	11+37	—	VC	
	11+37	11+57	11+57	—	VC	
	11+57	11+80	11+80	—	VC	
	11+80	11+91	11+91	—	VC	
	11+91	11+96	11+96	12+21	CS	End

590sc

5895

Sidewalk Inventory

Start Point: Nottingham Dr / Wyndham Dr

End Point: " "

Direction of Increasing Station: South / south west

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name: DSO

Date: 4/10/12

Total Number of Driveways: 8

Nottingham Hill

Left side

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Wyndham	0+00	7+47				Start at # 9852
			7+47	7+47	VC	at Driveway # 9870
	7+47	7+68	7+68	7+68	VC	" "
	7+68	7+95	7+95	7+95	VC	at tree
	7+95	9+30	9+30	9+34	CS	
			9+34	9+34	VC	
			9+34	7+50	CS	
	9+50	9+62	9+62	9+83	DS	at # 9876
			9+83	9+99	CS	
Wyndham Dr	9+99	11+02				end at intersection

Drawn JHT 11/

5895

385

Sidewalk Inventory

Start Point: Nottingham Hill Dr / Wyndham Dr

End Point: Wyndham Dr

Direction of Increasing Station: West

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Inspector Name: DSD

Date: 4/10/14

Total Number of Driveways: 20

Nottingham Hill

Right side

Compliant

Non-Compliant

Street Name:

From

To

From

To

Code

Comments

Edman Ridge Ave			20+83	21+09	CS	
			21+09	21+30	DS	at # 9709
			21+30	21+50	CS	
	21+50	22+48				end at Wyndham Dr

DW: 1

588s

Sidewalk Inventory

5875

Start Point: Netting Hill Dr / Wyndham Dr

End Point: Wyndham Dr

Direction of Increasing Station: West

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name: DSO

Date: 4/10/14

Total Number of Driveways: 20

Dr. Henry Ave

right side

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	9+40	10+13	10+13	10+13	VC	
	10+13	10+50	10+50	10+58	CS	
			10+58	10+78	DS	at # 9820
	10+78	10+83	10+83	10+88	VC	
	10+88	14+03	14+03	14+08	CS	
	14+08	14+23	14+23	14+32	CS	
	14+32	14+68	14+68	14+72	CS	
	14+72	14+83	14+83	14+87	CS	
	14+87	15+48	15+48	16+40	CS	
	16+40	16+52	16+52	16+64	CS	
	16+64	17+28	17+28	17+40	CS	
	17+40	17+52	17+52	17+88	CS	
	17+88	18+20	18+20	19+21	CS	
Edman Ridge Ave	19+21	20+83				run at Edman Ridge Ave

DW: #1

5875

5865

Sidewalk Inventory

Start Point: Notting Hill to Wyndham Dr

End Point: Wyndham

Direction of Increasing Station: North / north west

Reason Codes for NON-COMPLIANCE:

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Inspector Name: _____

Date: _____

Notting Hill

Right side

Total Number of Driveways: 48

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Wyndham	0+00	0+54				start at # 9852
			0+54	0+75	DS	DS at # 9850
			0+75	0+86	CS	
	0+86	1+98	1+98	2+19	DS	DS at # 9846
	2+19	2+64	2+64	2+84	DS	# 9844
	2+84	3+85	3+85	4+03	DS	# 9838
	4+03	4+55	4+55	4+75	DS	# 9836
	4+75	5+33	5+33	5+53	DS	# 9834
	5+53	7+01	7+01	7+05	CS	
	7+05	7+34	7+34	7+44	CS	
	7+44	7+64	7+64	7+69	CS	
	7+69	8+83	8+83	8+92	CS	
			8+92	9+13	DS	at # 9824
			9+13	9+40	CS	

22-1-1

5865

585

Sidewalk Inventory

Start Point: Wyndham Dr / Broadwood Dr / Rothwell Ln

End Point: Notting Hill Dr / Wyndham Dr (2nd intersection)

Direction of Increasing Station: east

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name: DSO

Date: 4/10/14

Wyndham Dr cont.

Left side of street

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	3+36	3+64	3+64	3+77	CS	
	3+77	5+27	5+27	5+27	VC	gas valve cover - dome type
	5+27	5+58	5+58	5+86	DS	at # 9732
	5+86	5+90	5+90	5+90	VC	needs partial grinding
	5+90	6+93	6+93	6+93	VC	
	6+93	7+11	7+11	7+37	CS	
	7+37	7+73	7+73	7+82	CS	
	7+82	8+55	8+55	8+64	CS	first panel of d/l is bad at # 9742
	8+64	10+35	10+35	10+49	CS	
	10+49	13+12	13+12	13+12	VC	
	13+12	13+89	13+89	14+03	CS	
			14+03	14+03	VC	needs partial grinding
	14+03	14+11	14+11	14+15	CS	
	14+15	14+74	14+74	14+74	VC	

14+74

15+07

end at Notting Hill Dr

DW: IIII IIII IIII

585s

Sidewalk Inventory

Start Point: Wyndham Dr / Braidwood Dr / Redwood Ln

End Point: Nottingham Hill Drive (2nd intersection)

Direction of Increasing Station: East

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Inspector Name: DSO

Date: 4/10/19

Total Number of Driveways: 22 total

Wyndham Dr
left side of street

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Wyndham Dr	0+00	2+06	2+06	2+62	CS	DS/CS at # 9704
	2+62	2+88	2+88	3+09	DS	DS at # 9706
	3+09	3+23	3+23	3+23	VC	
	3+23	3+37	3+37	3+46	DS	at # 9703
	3+46	3+59	3+59	3+67	CS	
	3+67	3+87	3+87	4+03	CS	
Nottingham Hill Dr	4+03	4+86	4+86	5+01	CS	end at Nottingham Hill Dr
Nottingham Hill Dr	0+00	0+83				end at Wyndham way
Wyndham way	0+00		0+00	0+11	CS	
	0+11	0+95	0+95	1+03	CS	
	1+03	1+11	1+11	1+24	CS	
	1+24	1+31	1+31	1+97	CS	
	1+97	3+04	3+04	3+28	CS	
	3+28	3+36	3+36	3+36	VC	

Dr: JH 111

5846

Sidewalk Inventory

Start Point: Royal Crest Drive / Royal Crest Circle / Caledonian Dr

End Point: MD 80

Direction of Increasing Station: South

4+10
2+73
(5835)

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Inspector Name: DSO

Date: 4/10/14

Total Number of Driveways:

Royal Crest Dr

Left side

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Crest Circle	0+00	0+16	0+16	0+24	CS	
	0+24	0+84	0+84	0+84	VC	
	0+84	1+68	1+68	1+96	CS	
	1+96	2+63	2+63	2+76	CS	
	2+76	2+89	2+89	2+89	VC	
	2+89	3+66	3+66	3+66	VC	
			3+66	3+70	CS	
	3+70	3+90	3+90	4+16	CS	end at ramp north side
Shetland Ct	0+00	0+42	0+42	0+46	CS	start at ramp south side
	0+46	0+54	0+54	0+54	VC	
	0+54	1+27	1+27	1+27	VC	
	1+27	1+85	1+85	2+05	CS	
Brave Heart Lane	2+05	2+77				end at ramp north side

5835

5825

Start Point: Royal Crest / Branchwood Lane ^{Dr.} Sidewalk Inventory

End Point: MD 80

Direction of Increasing Station: LT

Reason Codes for NON-COMPLIANCE:

Inspector Name: DSO
Date: 9/10/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Branchwood Lane	0+00	0+76	0+76	0+76	VC	
	0+76	0+92				end at Langhope Lane
Langhope Lane	0+00	2+15	2+15	2+34	CS	
	2+34	2+71	2+71	2+75	PO	gas valve cover also a VC
			2+75	2+75	VC	
	2+75	3+39				end at MD 80

5825

5815

Sidewalk Inventory

Start Point: Royal Crest Dr at Longhope Lane / Pool entrance

End Point: Caledonia

Direction of Increasing Station: south Lt

Reason Codes for NON-COMPLIANCE:

Inspector Name: DSO

Date: 4/15/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Longhope Lane			0+00	0+00	Vc	
	0+00	0+12	0+12	0+12	Vc	
	0+12	0+57	0+57	0+57	Vc	
	0+57	2+17	2+17	2+17	Vc	
	2+17	2+29				end at north pool entrance

5815

Sidewalk Inventory

Start Point: Royal Crest Dr at north Pal entrance

End Point:

Direction of Increasing Station: Lt

5805

Reason Codes for NON-COMPLIANCE:

Inspector Name: Nso
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 1

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
N. Pal entrance	0+00		0+00	0+00	VC	
	0+00	0+44	0+44	0+44	VC	
			0+52	0+52	VC	
			0+68	0+68	VC	
			0+84	0+84	VC	
	0+84	1+08	1+08	1+20	CS	
	1+20	1+88	1+88	1+88	VC	
	1+88	2+07	2+07	2+11	CS	
			2+11	2+28	DS	utility box 9655 entrance
			2+28	2+28	VC	
			2+28	2+53	CS	also VC at 2+28 and 2+32
	2+53	2+70	2+70	2+70	VC	
	2+70	3+10	3+10	3+10	VC	easy ground
	3+10	6+25	6+25	6+25	VC	

6+25
6+34
end at Caledonia Dr.

DW - 1

5805

Sidewalk Inventory

Start Point: Royal Crest Circle at traffic circle

End Point: Caledonia

5785

Direction of Increasing Station: South Rt

Reason Codes for NON-COMPLIANCE:

Inspector Name: BSO
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 3

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
traffic circle south west ramp	0+00	1+62	1+62	1+66	CS	gas valve in bad panel
	1+66	2+03	2+03	2+21	DS	at # 9661/9663 - shared driveway
			2+21	2+29	CS	
	2+29	2+93	2+93	2+93	VC	
	2+93	4+27	4+27	4+35	CS	
	4+35	4+51	4+51	4+51	VC	easy grind fix
Caledonia Drive	4+51	4+82				end at Caledonia/Royal crest Dr

W. K.

5785

2+33
1+98
0+49

Sidewalk Inventory

Start Point: Royal Crest Circle at Caledonia / Royal Crest circle

End Point: Traffic circle

5795

Direction of Increasing Station: north

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name: DSS

Date: 7/10/14

Royal Crest Cir.

right side

in side of loop

Total Number of Driveways: 0

Compliant

Non-Compliant

Street Name:	From	To	From	To	Code	Comments
Caledonia Dr	0+00		0+00	1+57	CS	
	1+57	1+69	1+69	1+74	CS	
	1+74	2+33				end at Glasgow Way
Glasgow Way	0+00		0+00	0+00	VC	
	0+00	0+95	0+95	0+95	PO	tree trimming needed
	0+95	1+98				end at traffic circle - first ramp
traffic circle - first ramp	0+00	0+12	0+12	0+27	CS	
	0+27	0+49				end at ramp at Aberdeen Way

5795

Sidewalk Inventory

Start Point: Royal Crest Circle at Caledonia Dr / Royal Crest Drive

End Point: Glasgow Way

5775

Direction of Increasing Station: counter clock wise on inside of circle

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name: DSO

Date: 9/10/14

(L)

Total Number of Driveways: 10

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
at Royal Crest Dr	0+00	0+40	0+40	1+37	CS	(vc at 1+17)
	1+37	1+95	1+95	1+95	VC	
	1+95	3+09	3+09	3+13	CS	
	3+13	3+35	3+35	3+44	CS	vc at 3+35
	3+44	3+75	3+75	3+88	CS	vc at 3+86 - valve cover
	3+88	3+93	3+93		VC	
	3+93	4+48	4+48	4+57	CS	
	4+57	4+61	4+61		VC	easy grind
	4+61	4+90	4+90	5+07	DS	at # 9724
			5+07	5+23	CS	vc at 5+17
	5+23	5+84	5+84		VC	
	5+84	6+47	6+47	6+56	CS	
	6+56	6+76	6+76	6+85	CS	
	6+85	7+02	7+02	7+19	CS	

7+19

9+40

9+40

9+63

CS

SW: JHT JHT

end at Glasgow

5775

Sidewalk Inventory

Start Point: Royal Crest Circle at Glasgow WayEnd Point: Aberdeen Way

S765

Direction of Increasing Station: counter clockwise, inside of circle

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name: DSODate: 4/10/14Total Number of Driveways: 2

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
(Continued)	1+19	9+90	9+40	9+65	CS	End at Glasgow Way
begin at north side of Glasgow	0+00	0+04	0+04		VC	
	0+04	0+76	0+76		VC	
	0+76	0+83	0+83		VC	
	0+88	2+32				end at Aberdeen Way
begin at north side Aberdeen Way	0+00		0+00		VC	
			0+00		CS	

S765

Start Point: Royal Crest Circle / Aberdeen Way ^{Sidewalk Inventory} ^{Round-A-Bout (Right)}
 End Point: Aberdeen Way

pg 1 of 2

5755a

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: TLW
 Date: 4-10-14

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 1

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Aberdeen Way	0+00	0+82	0+82		VC	
	0+82	0+99	0+99		VC	
	0+99	1+24	1+24		VC	
	1+24	2+26	2+26	2+33	CS	
Lock Ness Ct.	0+00	1+19	1+19	1+35	CS	
	1+35	2+53	2+53		VC	
	2+53	2+67	2+67	3+78 3+78	CS	
	3+78 3+78	5+09	5+09	5+80	CS	
	5+80 5+80	5+96	5+96		VC	
	5+96	6+21	6+21	6+90	CS	
	6+90	7+03	7+03		VC	
	7+03	7+40	7+40	7+52	CS	
	7+52	7+75	7+75		VC	
	7+75	8+31	8+31		VC	

5755a

Start Point:

Royal Crest Circle / Aberdeen Way

Sidewalk Inventory

Sound no
Bent

(Right)

pg 2 of 2

End Point:

Aberdeen Way

575sb

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name:

T/w

Date:

4-10-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

6

1111

Street Name:

Compliant

Non-Compliant

From

To

From

To

Code

Comments

	8+31	8+40	8+40		VC	
	8+40	9+11	9+11	9+49	CS	
			9+49		DS	9698
			9+49	9+73	CS	
	9+73	9+85	9+85	10+33	CS	
	10+33	10+55	10+55	11+22	CS	
			11+22		DS	9702
			11+22	11+62	CS	
	11+62	12+43	12+43	13+27	CS	
Aberdeen Way	13+27					

575sb

(Right) (Circle)

Start Point: Loch Ness Ct. / ^{Sidewalk Inventory} Royal Crest Circle

pg 1 of 2

End Point: Royal Crest Circle

5745a

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/w
Date: 4-10-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 6

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Crest			0+00	0+07	CS	
Circle	0+07	2+22	2+22		VC	
	2+22	2+34	2+34		VC	
	2+34	2+46	2+46		VC	
	2+46	2+74	2+74		VC	
	2+74	2+83	2+83		VC	
	2+83	3+78	3+78		VC	
	3+78	4+00	4+00		VC	
	4+00	4+19	4+19		VC	
	4+19	4+58	4+58		VC	
	4+58	5+18	5+18		VC	
	5+18	5+55	5+55		VC	
	5+55	5+83	5+83	5+86	CS	
			5+86		VC	

5745a

Start Point: Loch Ness Ct. / Royal Crest Circle

Sidewalk Inventory

pg 2 of 2

End Point: Royal Crest Circle

5745b

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/V
Date: 9-16-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Crest	5+86	5+98	5+98		VC	
	5+98	6+11	6+11		VC	
	6+11	6+58	6+58		VC	
	6+58	7+29	7+29		VC	
	7+29	9+09	9+09	9+38	CS	
			9+38		VC	
	9+38	9+88	9+88		VC	
	9+88	10+07				
Royal Crest Circle	10+07					

5745b

Start Point: Mt. Nevis Pass / Royal Crest Circle
 End Point: Royal Crest Circle

(Left)

5735

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: TLW
 Date: 4-16-14

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 1111 1

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Crest Circle	0+00	0+32	0+32		DS	3960
			0+32	0+46	CS	
	0+46	0+72	0+72		PO	Bushes
	0+72	1+21	1+21		VC	
	1+21	2+00	2+00		PO	Bushes
	2+00	2+19	2+19	2+37	CS	
			2+37		DS	3963
			2+37	2+67	CS	
	2+67	2+88	2+88		DS	3961
			2+88	2+96	CS	
	2+96	3+46				
Royal Crest Circle	3+46					

5735

©
(Round-A-Bout)

(Right)

5725

Start Point: Aberdeen Way / Royal Crest Circle

End Point: Royal Crest Circle

Direction of Increasing Station: _____

Inspector Name: T/W

Date: 7-10-17

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 8 111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Crest Circle	0+00	0+36	0+36		VC	
	0+36	1+40	1+40		VC	
	1+40	2+13	2+13		VC	
	2+13	2+27	2+27		VC	
	2+27	2+63	2+63		VC	
	2+63	3+71	3+71		DS	3911
			3+71	3+79	CS	
	3+79	4+07	4+07		VC	
	4+07	5+40	5+40		VC	
	5+40	5+96	5+96		VC	
	5+96	6+27	6+27		VC	
	6+27	6+64	6+64	6+71	CS	
Royal Crest Circle	6+71					

5725

Start Point: Aberdeen Way / Royal Crest Circle
 End Point: Royal Crest Circle (Round-a-Bout)

(Right)

5715

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: Tlw
 Date: 4-16-14

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 9 ~~11~~ 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Crest Circle			0+00	0+15	CS	
	0+15	0+59	0+59		VC	
	0+59	1+39	1+39		VC	
	1+39	4+27	4+27	4+35	CS	
	4+35	5+19	5+19		VC	
	5+19	5+57	5+57		VC	
	5+57	6+68	6+68	6+72	CS	
Royal Crest Circle (Round-a-Bout)	6+72					

5715

Start Point: Glasgow Way / Royal Crest Circle (Right) (5705)
 End Point: Royal Crest Circle

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W
 Date: 7-16-14

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Crest Circle	0+60	0+72	0+72	0+80	CS	
	0+80	1+29	1+29		VC	
	1+29	1+40	1+40		VC	
	1+40	1+45	1+45	1+70	CS	
	1+70	2+05	2+05		VC	
	2+05	2+15	2+15		VC	
	2+15	2+65	2+65	2+75	CS	
	2+75	3+42	3+42	3+51	CS	
	3+51	4+11	4+11		DS	3849
	4+11	4+21	4+21		VC	
	4+21	5+55	5+55	5+69	CS	
	5+69	7+19				
	7+19					

5705

Start Point: Glasgow Way / Royal Crest Circle
 End Point: Royal Crest Circle

Sidewalk Inventory

(Right)

5695

Direction of Increasing Station: _____

Inspector Name: T/W
 Date: 7-16-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 8 ~~111~~

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Crest Circle	0+00	0+95	0+95		VC	
	0+95	4+06	4+06	4+40	CS	
	4+40	5+00	5+00		VC	
	5+00	5+04	5+04		VC	
	5+04	6+18	6+18		VC	
	6+18	7+13				
Royal Crest Circle	7+13					

5695

5685

③

5685

Start Point: Notting Hill Drive / Wyndham Drive ^{Sidewalk Inventory}

(Left)

5665

End Point: Wyndham Drive

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/O
Date: 4-16-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: HHH HHH HHH 1

18

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Wyndham Dr.	0+00	5+76	5+76	6+19	CS	
	6+19	6+77	6+77		DS	9825
			6+77	6+86	CS	
	6+86	7+68	7+68	7+78	CS	
			7+78		DS	9823
			7+78	8+15	CS	
			8+15		PO	TREE
			8+15	8+39 8+81	CS	
	8+81	9+41	9+41	9+71	CS	
	9+71	10+29	10+29		VC	
	10+29	11+98	11+98		VC	AND
	11+98	12+00	12+00		PO	TREE
	12+00	17+00				
Wyndham Way	0+00	3+61				

Wyndham Drive

3+61

5665

Start Point: Ethan Ridge Ave / Braidwood Drive (Right) 5655
 End Point: Notting Hill Drive

Direction of Increasing Station: _____

Inspector Name: T/W/D
 Date: 4-16-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 4

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Braidwood Drive	0+00	0+19	0+19	0+31	CS	
			0+31		DS	9701
			0+31	0+42	CS	
	0+42	0+78	0+78	1+07	CS	
	1+07	1+55	1+55		VC	
	1+55	4+08	4+08		VC	
	4+08	4+56				
Notting Hill Dr.	4+56					

5655

Start Point: Ethan Ridge Ave / Notting Hill Dr. ^{Sidewalk Inventory} (Right)

End Point: Braidwood Drive

5645

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/w/d
Date: 4-16-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 6

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Notting Hill Dr.	0+00	2+03	2+03	2+67	CS	
	2+67	2+43	2+43	2+70	CS	
	2+70	2+78	2+78	2+96	CS	
			2+96		DS	9704
			2+96	3+31	CS	
	3+31	3+47	3+47	3+72	CS	
			3+72		DS	9702
			3+72	4+11	CS	
	4+11		4+11		DS	9700
			4+11	4+44	CS	
	4+44	4+65				
Braidwood Dr.	4+65					

5645

Start Point: Braidwood Drive / Rt. 80 Sidewalk Inventory

(Left)

6' wide sidewalks
up to Ethan Ridge

End Point: DEAD END

5635

Direction of Increasing Station: _____

Inspector Name: T/W/D
Date: 4-16-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Rt. 80	0+00	4+02	4+02		PO	TREE
	4+02	4+76				
Braveheart Way	0+00	4+36				
Bothwell Ln.	0+00	3+68				
Ethan Ridge Dr.	0+00	4+04	4+04		VC	
	4+04	4+44				
Atterbury Lane	0+00	0+11				
DEAD END	0+11					

5635

Start Point: Braidwood Drive / DEAD END Sidewalk Inventory

(Left)

5625

End Point: Rt. 80

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/w/d
Date: 4-14-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
DEAD END	0+00	4+96				
Ethan Ridge Dr.	0+00	1+43	1+43	1+75	CS	
Ave.	1+75	1+92	1+92	2+04	CS	
	2+04	2+32	2+32	2+36	CS	
	2+36	3+54				
Wyndham Dr.	0+00		0+00	0+11	CS	
	0+11	0+47	0+47		VC	
	0+47	8+98				
Braidwood Terr.	0+00		0+00	0+09	CS	
	0+09	4+94				
Rt. 80	4+94					

5625

Start Point: Braveheart Lane/ Longhope Lane (5615)

End Point: Royal Crest Drive

Direction of Increasing Station: (R)

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W/D

Date: 4-10-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: (4)
1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Longhope Ln.	0+00	0+10	0+10		VC	
	0+10	0+86	0+86		VC	
	0+86	1+29	1+29		VC	
	1+29	1+49	1+49		VC	
	1+49	2+01	2+01		VC	AND Tree Bushes
	2+01	2+20	2+20		PO	Bush
	2+20	2+37	2+37		DS	3820
			2+37	2+85	CS	Bush 2+55
Royal Crest Dr.	2+85					

Start Point:

Longhope Lane / Braveheart Circle (Right)

Sidewalk Inventory

End Point:

Braveheart Lane

5605

Direction of Increasing Station:

Inspector Name:

T/W/O

Date:

4-16-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

0

Street Name:

From

Compliant

To

From

Non-Compliant

To

Code

Comments

Braveheart Cir.	0+00	2+19				
Braveheart Ln.	2+19					

5605

Start Point: Braveheart Circle / Braveheart ~~Circle~~ Way (Right) ~~Left~~

End Point: Loughhope Lane

Direction of Increasing Station: _____

SSAS

Inspector Name: T/W/D
Date: 4-10-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

16

Total Number of Driveways: HHH HHH HHH 1

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Braveheart	0+00	2+60	2+00		VC	
Way	2+00	2+19	2+19		DS	3936
			2+19	2+54	CS	
	2+54	3+90	3+90		VC	
	3+90	6+04	6+04		DS	3948
			6+04	6+13	CS	
	6+13	6+39	6+39		PO	TREE
	6+39	7+35	7+35		DS	3952
			7+35	7+48	CS	
	7+48	9+00	9+00		VC	
	9+00	9+45	9+45		VC	
	9+45	9+86				
Loughhope Lane	9+86					

5595

192

Start Point: Notting Hill Rd / Wyndham Dr.

End Point: _____

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Inspector Name: DT
Date: 4/10/17

5585a

Total Number of Driveways: ~~1111~~ 1111

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Wyndham Dr.	8+00	8+11	8+11	8+19	CS	Gravel shw 1/2" up
	8+19	8+1+21	8+1+21			
			1+21	1+56	CS	
	1+56	2+42	2+42	2+55	CS	
	2+55	3+12	3+12	3+21	CS	
	3+21	3+80	3+80	4+01	CS	
	4+01	4+58	4+58	4+58	CS	4+63
	4+63	5+64	5+64	5+64	VC	2 1/2" up
	5+64	6+59	6+59	6+59	VC	" " " " " " " "
	6+59	7+23	7+23	7+47	CS	
	7+47	7+51	7+51	7+61		
			7+61	7+61	DS	9873
			7+61	7+75	CS	
	7+75	8+29	8+29	8+33	CS	

5585a

Start Point:

Royal Crest Dr / Royal Crest Dr.

Sidewalk Inventory

195 Royal Crest Circle = Aberdeen Ave
Royal Crest Dr

End Point:

Direction of Increasing Station:

Left

Reason Codes for NON-COMPLIANCE:

Inspector Name:

TWS

Date:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

557 SA

Total Number of Driveways:

11

Street Name:

From

To

From

To

Code

Comments

Royal Crest Dr	0+00	0+20	0+20	0+20	VC	Grade 1/2" up
	0+20	1+24				
Aberdeen Way	0+00	0+31	0+31	0+51	CS	
	0+51	0+86	0+86	0+86	VC	" " " "
	0+86	2+68	2+68	2+68	VC	" " " "
	2+68	3+41	3+41	3+41	VC	" " " "
	3+41	3+45	3+45	3+45	VC	" " " "
	3+45	3+85	3+85	3+85	VC	" " " "
	3+85	4+09	4+09	4+09	VC	
	4+09	5+92				
Brigadeo La	0+00	0+13	0+13	0+97	CS	
	0+97	1+05	1+05	1+42	CS	
Brigadeo Pl			0+00	0+10		
	0+10	0+38	0+38	0+38	VC	

557 SA

295

55756

Start Point: Royal Crest Cir / Brigadoon PL

End Point: _____

Direction of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: WTS
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

TRIM Bushes

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments //
	From	To	From	To		
	0+38	1+02	1+02	1+02	VC	Greater than 1/2" Gap
	1+02	1+48	1+48	1+48	VC	" " " "
	1+48	1+70	1+70	1+82	CS	
	1+82	1+89	1+89	1+89	VC	" " " "
	1+89	2+09	2+09	2+21	CS	
	2+21	3+33	3+33	3+33	VC	" " " "
	3+33	3+41				
M+NEVIS Pass			0+06	0+15	CS	
(1)	0+15	0+57	0+57	0+66	CS	Sidewalk Top 9 Ramp
M+NEVIS Pass	0+06	0+86	0+86	0+98	CS	
(2)			0+98	0+98	DS	9701
			0+98	1+09		
	1+09	1+86	1+86	1+86	VC	> 1/2" Gap
	1+86	2+03	2+03	2+03	VC	" " " "

55756

Start Point: Royal Crest Cir. / Mt. Lewis Pass (2) ^{East? 39} ³⁸⁵ 557SC

End Point: _____

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWS
Date: 9/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 11 11 1

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	2+03	2+63	2+63	2+63	VC	Greater than 1/2" Lip
	2+63	3+70	3+70	3+70	VC	" " " "
	3+70	4+05	4+05	4+05	VC	" " " "
	4+05	4+66	4+66	4+66	VC	" " " "
	4+66	5+22	5+22	5+66	CS	
	5+66	5+94	5+94	5+98	VC	- Entire slab with Gas Lid out
	5+98	6+03	6+03	6+12	CS	
			6+12	6+12	DS	9717
			6+12	6+21	CS	
	6+21	7+20	7+20	7+20	VC	> 1/2" Lip
	7+20	8+16	8+16	8+25	VC	2 Panels, V-shape and greater than 1" Lip
	8+25	9+10	9+10	9+10	VC	> 1/2" Lip
	9+10	9+43	9+43	9+43	VC	" " "
	9+43	9+70	9+70	9+70	VC	

557SC

495

Start Point: Royal Crest Cir / Mt Lewis Pass Ent (2)

End Point: _____

Direction of Increasing Station: _____

5575d

Reason Codes for NON-COMPLIANCE:

Inspector Name: _____
Date: _____

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 11

11 11 11 16

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	9+70	9+91	9+91	9+91	VC	Gravel strip 1/2" lip
	10+91	10+03	10+03	10+03	VC	" " " "
	10+03	10+65	10+65	10+65	VC	" " " "
	10+65	11+02	11+02	11+02	VC	" " " "
	11+02	12+06	12+06	12+06	VC	" " " "
	12+06	12+27	12+27	12+27	VC	" " " "
	12+27	13+16	13+16	13+25	CS	
			13+25	13+25	DS	#9739
			13+25	13+34	CS	
	13+34	13+47	13+47	13+47	VC	> 1/2" lip
	13+47	13+64	13+64	13+64	VC	" " " "
	13+64	14+96	14+96	14+96	VC	" " " "
	14+96	15+89	15+89	16+00	CS	
	16+00	16+24	16+24	16+29	CS	

5575d

557se

pg. 1 of 4 Right

Start Point: Wyndham Dr / Braidwood Dr.

End Point: _____

Direction of Increasing Station: Rt.

Reason Codes for NON-COMPLIANCE:

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object

- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Inspector Name: JT
Date: 04/10/14

556sa

Total Number of Driveways: (4)

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Braidwood Dr.			0+00	0+24	CS	
	0+24	0+32	0+32	0+40	CS	
	0+40	0+75	0+75	0+79	CS	
	0+79	1+08	1+08	1+12	CS	
	1+12	1+25	1+25	1+28	CS	
	1+28	3+34	3+34	3+34	VC	greater than 1/2" lip
	3+34	3+39	3+39	3+49	CS	
			3+49	3+49	DS	@ 9707
	3+60		3+49	3+60	CS	
	3+60	3+98	3+98	4+07	CS	
	4+07	5+40	5+40	5+59	CS	
	5+59	6+03	6+03	6+20	CS	
			6+20	6+20	DS	@ 9713
			6+20	6+31	CS	

556sa

Start Point: Wyndham Dr / Braidwood DR

556sb

End Point: _____

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: S.T
Date: 4-10-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

~~556sb~~

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	6+31	6+56	6+56	6+74	CS	
	6+74	7+17	7+17	7+21	CS	
	7+21	7+30	7+30	7+34	CS	
	7+34	7+58	7+58	7+68	CS	
			7+68	7+68	DS	@ 9717
			7+68	7+78	CS	
	7+78	8+90	8+90	9+01	CS	
			9+01	9+01	DS	@ 9721
			9+01	9+11	CS	
	9+11	10+17	10+17	10+27	CS	
			10+27	10+27	DS	@ 9725
			10+27	10+44	CS	
	10+44	11+22	11+22	11+33	CS	
			11+33	11+33	DS	@ 9729

556sb

Start Point: Wyndham Dr / Braidwood Dr

Sidewalk Inventory

556SC

Pg. 3 of 4
Rt.

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: J.T.
Date: 4-10-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 11

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
			11+33	11+49	CS	
	11+49	12+01	12+01	12+10	CS	
	12+10	12+23				
Notting Hill Dr.			0+00	0+07	CS	
	0+07	0+64	0+64	0+75	CS	
			0+75	0+75	DS	@ 9735
			0+75	0+93	CS	
	0+93	2+40	2+40	2+52	CS	
	2+40		2+52	2+67	CS	
			2+67	2+67	DS	@ 9741
			2+67	2+76	CS	
	2+76	3+97	3+97	3+97	VC	greater than 1/2" lip
	3+97	4+10	4+10	4+20	CS	
			4+20	4+20	DS	@ 9745
			4+20	4+30	CS	

556SC

pg. 4 of 4 Right

556SD

Start Point: Wynndham Dr / Braidwood Dr

End Point: Notting Hill Dr 9800 Block

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: J.T
Date: 4-10-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways:

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	4+30	4+41	4+41	4+41	VC	greater than 1/2" Lip
	4+41	4+71	4+71	4+75	CS	
	4+75	5+27	5+27	5+37	CS	
			5+37	5+37	DS	@9749
			5+37	5+51	CS	
	5+51	5+79	5+79	5+94	CS	
	5+94	6+06	6+06	6+06	VC	" "
	6+06	6+12	6+12	6+38	CS	
	6+38	7+59	7+59	7+75	CS	
	7+75	8+61	8+61	8+68	CS	
Notting Hill Dr	8+68	8+78				

556SD

5555

Right

Pg. 1 of 1
836Start Point: Caledonia Dr / CARRIAGE HILL DR.End Point: Royal Crest DrDirection of Increasing Station: Right

5525

Reason Codes for NON-COMPLIANCE:

Inspector Name: T.W. J
Date: 4-10-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
CARRIAGE HILL DR			0+00	0+04	CS	
	0+04	1+08	1+08	1+08	VC	greater than 1/2" Lip
	1+08	1+28	1+28	1+28	VC	" "
	1+28	2+36	2+36	2+36	VC	" "
	2+36	2+53	2+53	2+53	VC	manhole lid
	2+53	5+97	5+97	5+97	VC	manhole lid
	5+97	6+26	6+26	6+38	CS	
	6+38	7+02	7+02	7+15	CS	
	7+15	8+33	8+33	8+36	CS	
ROYAL CREST DR						
8+36						

5525

Left

Sidewalk Inventory

Start Point: Barngate Circle @ Heatherfield Trail

End Point: Heatherfield Trail

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

5515

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Heatherfield Trail	0+00	5+55				End

5515

Right

Sidewalk Inventory

Start Point: Morning Glory Trl @ Well Springway

End Point: ~~Well~~ Meadow Way

550s

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/10/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

10

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Well Springway	0+00	-	0+00	0+23	CS	
	0+23	1+04	1+04	-	VC	
	1+04	3+26	3+26	-	PZ	
	3+26	3+57	3+57	3+78	CS	
DOSW Ent	3+78	-	3+78	-	DS	-
	3+78	3+78	3+90	3+90	CS	
	3+90	5+48	5+48	-	VC	
	5+48	6+23	6+23	-	VC	
	6+23	7+19				End
Meadow Way	7+19					

550s

SAC.

End Point: Worcester Dr

Direction of Increasing Station: 1024

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Inspector Name: BF & RH
Date: 4-10-14

Total Number of Driveways:

549s

545

Direction of Increasing Station: ~~10~~ Lt

[illegible]

5485

54

Sidewalk Inventory

Start Point: Kent Dr @ Royal Oaks Dr

End Point: Worcester Dr/Terr

Direction of Increasing Station: UP

Reason Codes for NON-COMPLIANCE:

Inspector Name: BFERH
Date: 4-10-10

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 3

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Oaks Dr			0+00	0+44	CS	
	0+44	1+29				
Kent CT.	0+00	2+66				END @ Worcester Dr/Terr

5476

Start Point: Winchester Dr @ Kent Dr

Sidewalk Inventory

End Point: Kent Dr #2

Direction of Increasing Station: LD

Reason Codes for NON-COMPLIANCE:

Inspector Name: BT BZH

Date: 4-10-14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 12

Street Name: <u>Winchester Dr</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Kent Dr</u>			<u>0+00</u>	<u>0+51</u>	<u>CS</u>	
	<u>0+51</u>	<u>2+07</u>	<u>2+07</u>	<u>————</u>	<u>DS</u>	<u>Lot 11127</u>
	<u>2+07</u>	<u>2+90</u>				
<u>Wickert Ct</u>			<u>0+00</u>	<u>0+37</u>		
	<u>0+37</u>	<u>3+01</u>	<u>3+01</u>	<u>3+05</u>	<u>CS</u>	
	<u>3+05</u>	<u>3+66</u>	<u>3+66</u>	<u>3+79</u>	<u>CS</u>	
	<u>3+79</u>	<u>4+74</u>	<u>4+74</u>	<u>5+77</u>	<u>CS</u>	<u>Lot 11115</u>
			<u>5+60</u>	<u>————</u>	<u>DS</u>	<u>Lot 11115</u>
	<u>5+77</u>	<u>7+27</u>	<u>7+27</u>	<u>————</u>	<u>DS</u>	<u>Lot 11109</u>
	<u>7+27</u>	<u>10+18</u>				<u>END @ Kent Dr #2</u>

546s

55

Sidewalk Inventory

Start Point: Sponseller Ct @ Roy Ct

End Point: Lot # 5569

Direction of Increasing Station: UP

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF3RH
Date: 4-10-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 10

LT

Street Name: <u>Sponseller Ct</u>	Compliant		Non-Compliant		Code	Comments
From	To	From	To			
<u>Roy Ct</u>		<u>0+00</u>	<u>0+14</u>	<u>CS</u>		
	<u>0+14</u>	<u>0+58</u>	<u>0+58</u>	<u>DS</u>		<u>Lot 5542</u>
	<u>0+58</u>	<u>0+73</u>	<u>0+73</u>	<u>CS</u>		
	<u>1+05</u>	<u>2+59</u>	<u>2+59</u>	<u>DS</u>		<u>Lot 5546</u>
	<u>2+59</u>	<u>2+82</u>	<u>2+82</u>	<u>DS</u>		<u>Lot 5548</u>
	<u>2+82</u>	<u>3+48</u>	<u>3+48</u>	<u>VC</u>		
	<u>3+48</u>	<u>4+06</u>	<u>4+06</u>	<u>CS</u>		
	<u>4+21</u>	<u>4+61</u>	<u>4+61</u>	<u>VC</u>		
	<u>4+61</u>	<u>4+91</u>	<u>4+91</u>	<u>VC</u>		
	<u>4+91</u>	<u>5+50</u>	<u>5+50</u>	<u>CS</u>		
	<u>5+96</u>	<u>6+32</u>	<u>6+32</u>	<u>VC</u>		
	<u>6+32</u>	<u>6+52</u>	<u>6+52</u>	<u>DS</u>		<u>Lot 5560</u>
	<u>6+52</u>	<u>7+01</u>	<u>7+01</u>	<u>VC</u>		
	<u>7+01</u>	<u>7+15</u>				<u>END @ 5569</u>

5453

5445

Sidewalk Inventory

Start Point: Windsong CT @ Woodspring Dr

End Point: Sidewalk Dead End

Direction of Increasing Station: RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF + JCR
Date: 4-10-19

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 3

Street Name: <u>Windsong CT</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Woodspring Dr</u>	<u>0+00</u>	<u>0+08</u>	<u>0+08</u>	<u> </u>	<u>DS</u>	<u>L# 5746</u>
	<u>0+08</u>	<u>0+60</u>	<u>0+60</u>	<u> </u>	<u>DS</u>	<u>L# 5744</u>
	<u>0+60</u>	<u>1+30</u>	<u>1+30</u>	<u> </u>	<u>DS</u>	<u>L# 5742</u>
	<u>1+30</u>	<u>1+50</u>				<u>End @ Sidewalk Dead End</u>

5445

5435a

Sidewalk Inventory

Start Point: Windsong Dr @ Windsong CT

End Point: Meridian Way

Direction of Increasing Station: ✓ Lt

Reason Codes for NON-COMPLIANCE:

Inspector Name: BE DRH
Date: 6-10-10

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Windsong CT	0+00	7+126	2+126	2+63	CS	
	2+63	3+32	3+32	—	PO	Bush
	3+32	4+12				
Old Log CT	0+00	0+65	0+65	—	PO	Tree
	0+65	2+78				
Wood Front Glade	0+00	1+12	1+12	—	VC	
	1+12	1+35	1+35	1+50	CS	
	1+50	2+73				
Foxwood Crossing			0+00	0+15	CS	
	0+15	1+79	1+75	1+93	CS	
	1+93	2+55	2+55	2+81	CS	
	2+81	3+01	3+01	3+28	CS	
	3+28	4+28	4+28	4+38	CS	
	4+38	4+68	4+68	5+23	CS	

5435a

Sidewalk Inventory

Start Point: Woodspring Dr @ Windsong Ct

End Point: Meadow Way

Direction of Increasing Station: UP

5435b

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF3RH
Date: 4-10-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name: <u>Woodspring Dr</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Cont.</u>	<u>5+23</u>	<u>5+64</u>	<u>5+64</u>	<u>5+79</u>	<u>CS</u>	
<u>For Wood Crossing</u>	<u>0+00</u>	<u>0+88</u>	<u>0+88</u>	<u>0+94</u>	<u>CS</u>	
	<u>0+94</u>	<u>1+15</u>	<u>1+15</u>	<u>1+29</u>	<u>CS</u>	
	<u>1+29</u>	<u>2+45</u>	<u>2+45</u>	<u>2+51</u>	<u>CS</u>	
	<u>2+51</u>	<u>2+80</u>				
<u>Heathwood Ct</u>	<u>0+00</u>	<u>1+10</u>	<u>1+10</u>	<u>1+24</u>	<u>CS</u>	
	<u>1+24</u>	<u>1+54</u>	<u>1+54</u>	<u>—</u>	<u>VC</u>	
	<u>1+54</u>	<u>4+53</u>	<u>4+53</u>	<u>—</u>	<u>VC</u>	
	<u>4+53</u>	<u>5+45</u>				<u>END @ Meadow Way</u>

5435b

54-5

Sidewalk Inventory

Start Point: Meadow Way @ Wood Spring Dr

End Point: Barngate Cir

Direction of Increasing Station: ☒ RT

Reason Codes for NON-COMPLIANCE:

Inspector Name: JF BHA
Date: 4-10-11

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name: Meadow Way	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Wood Spring Dr	0+00	1+67	1+67	2+78	CS	
	2+78	3+55	3+55	3+80	CS	
	3+80	4+65	4+65	5+55	CS	
	5+55	7+46	7+46	7+56	CS	
	7+56	8+59				
Barnswell Dr	0+00	1+90				
Morning Gate Ln	0+00	4+33				
Well Spring Way	0+00	3+20	3+20	3+45	CS	
	3+45	3+75	3+75	3+85	CS	
	3+85	4+80	4+80	4+92	CS	
Morning Glory Trail	0+00	2+22	2+22	2+44	CS	END @ Barngate Cir.

5425



15405

5315

End Point: Backs Run Total

Direction of Increasing Station: 0 R+

Inspector Name: B. B. R.

Date: 10/24/2024

WP Width of Panel

Total Number of Driveways: 7



Street Name: 1st Glen Ave From

From

To

From

To

Code

Comments

[illegible]

5395

Sidewalk Inventory

Start Point: Honey Glen CT @ Boringate Cir

End Point: Boringate Cir

Direction of Increasing Station: RT

5385

Reason Codes for NON-COMPLIANCE:

Inspector Name: BF BRH
Date: 4-10-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 13

Street Name: <u>Honey Glen CT</u>	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
<u>Boringate Cir</u>	<u>0+00</u>	<u>1+90</u>	<u>1+90</u>	<u>/</u>	<u>VC</u>	
	<u>1+90</u>	<u>1+95</u>	<u>1+95</u>	<u>/</u>	<u>VC</u>	
	<u>1+95</u>	<u>3+75</u>	<u>3+75</u>	<u>/</u>	<u>VC</u>	<u>Sewer Cleanout</u>
	<u>3+75</u>	<u>4+20</u>	<u>4+20</u>	<u>/</u>	<u>VC</u>	
			<u>4+20</u>	<u>4+31</u>	<u>CS</u>	
	<u>4+31</u>	<u>4+41</u>	<u>4+41</u>	<u>/</u>	<u>VC</u>	<u>Sewer Clean out</u>
	<u>4+41</u>	<u>4+68</u>	<u>4+68</u>	<u>/</u>	<u>VC</u>	
	<u>4+68</u>	<u>5+02</u>	<u>5+02</u>	<u>/</u>	<u>VC</u>	<u>Sewer Cleanout</u>
	<u>5+02</u>	<u>5+68</u>	<u>5+68</u>	<u>5+76</u>	<u>CS</u>	
	<u>5+76</u>	<u>7+29</u>	<u>7+29</u>	<u>/</u>	<u>VC</u>	<u>Sewer Clean out</u>
	<u>7+29</u>	<u>8+30</u>	<u>8+30</u>	<u>/</u>	<u>VC</u>	<u>Sewer Clean out</u>
	<u>8+30</u>	<u>9+86</u>				<u>END @ Boringate Cir</u>

5385

Sidewalk Inventory

Start Point: Kent Dr @ Royal Oak Dr

End Point: Worcester Dr

Right

53^{AS}

Direction of Increasing Station:

Inspector Name: JH / CB
Date: 4/6/94

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 5

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		

[illegible]

5375

Sidewalk Inventory

Start Point: Worcester Court @ Worcester Dr

End Point: Worcester Dr

Direction of Increasing Station: (R)

5365

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/13/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 9

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Worcester Dr	0+00	0+59	0+59	0+59	PO	
	0+59	1+07	1+07	1+07	VC	
	1+07	2+29	2+29	2+29	VC	
	2+29	2+46	2+46	2+46	VC	
	2+46	4+11	4+11	4+11	PO	
	4+11	4+42	4+42	4+42	PO	
	4+42	4+42	4+42	4+42	VC	
	4+42	4+52	4+52	4+52	VC	
	4+52	5+00				End

5365

1 of 2

✓

Sidewalk Inventory
Start Point: Worcester Dr @ Worcester Ct

End Point: Kent Dr

53550

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 26

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Worcester Ct	0+00	0+31	0+31	0+48	CS	
	0+48	0+71	0+71	0+71	VC	
	0+71	1+00	1+00	1+00	VC	
	1+00	1+26	1+26	1+26	VC	
	1+26	1+56	1+56	1+56	VC	
	1+56	1+80	1+80	1+80	VC	
	1+80	2+15	2+15	2+15	VC	
	2+15	2+45	2+45	2+45	VC	
	2+45	2+94	2+94	2+94	VC	
	2+94	3+04	3+04	3+04	VC	
	3+04	3+47	3+47	3+47	VC	
	3+47	4+16	4+16	4+21	VC	
	4+21	4+79	4+79	4+79	VC	
	4+79	5+28	5+28	5+28	VC	

53550

2072

✓

Start Point: Worcester Dr @ Worcester Ct

End Point: Kent Dr

Direction of Increasing Station: _____

535sb

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/16/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	5+28	6+10	6+10	6+10	VC	
	6+10	7+37	7+37	7+37	VC	
	7+37	7+45	7+45	7+45	PO	
	7+45	8+22	8+22	8+22	VC	
	8+22	9+99	9+99	9+99	VC	
	9+99	10+05	10+05	10+05	VC	
	10+05	10+52	10+52	10+52	VC	
	10+52	11+56	11+56	11+56	VC	
	11+56	12+67	12+67	12+67	VC	
	12+67	12+91	12+91	13+07	CS	
	13+07	15+21	15+21	15+21	VC	
	15+21	15+29				End

535sb

Start Point: Sponseller Ct @ Roy Ct. R

End Point: Roy Ct.

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: OZ, VA
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 18

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Roy Ct.			0+00	0+33	CS	
	0+33	1+10	1+10	1+10	DS	5533
	1+10	1+22	1+22	—	VC	
	1+22	1+68	1+68	—	CS	
54/28	1+68	2+23	2+23	—	PO	
	2+23	2+65	2+65	—	PO	
	2+65	3+13	3+13	—	PO	
	3+13	4+74	4+74	—	CS	✓
	4+74	4+95	4+95	—	CS	
	4+95	5+74	5+74	—	CS	
	5+74	6+28	6+28	—	PO	
	6+28	6+45	6+45	—	VC	
	6+45	6+95	6+95	—	VC	
	6+95	7+67	7+67	—	VC	

7+67 8+70

End 5564

5345

Court

Sidewalk Inventory

Start Point: Morning Glory Pl @ Meadow WayEnd Point: Meadow WayDirection of Increasing Station: (L)

5335

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/10/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 11

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Meadow Way	0+00	0+74	0+74	1+32	CS	
	1+32	-	1+32	1+32	DS	11703
	1+32	1+32	1+32	1+48	CS	
	1+48	1+56	1+56	-	PO	
	1+56	2+65	2+65	2+65	CS	
	2+65	2+96	2+96	-	DS	11709
	2+96	2+96	2+96	3+06	CS	
	3+06	3+56	3+56	-	VC	
	3+56	3+68	3+68	-	PZ	
	3+68	4+00	4+00	-	PO	
	4+00	4+48	4+48	-	DS	11706
	4+48	4+48	4+48	4+78	CS	
	4+78	6+60	6+60	-	VC	
	6+60	7+18				End

5335

Lefx

End Point: Dead End

Direction of Increasing Station:

5325

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

5325

(R)

Sidewalk Inventory

Start Point: Well Spring Way @ Meadow Way

End Point: Dead End

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 1

5315

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Meadow Way	0+00	1+02	1+02	1+06	CS	
Well Spring Ct	0+00	0+62	0+62	—	VC	
	0+62	1+07				End
			0+58	1+07	PO	End

5315

Court

Sidewalk Inventory

Start Point: Well Spring Ct. @ Well Spring WayEnd Point: Well Spring WayDirection of Increasing Station: (L)

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/16/14VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding ObjectDS Driveway Cross Slope
CS Panel Cross Slope
WP Width of PanelTotal Number of Driveways: 10

5305

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Well Spring Way	0+00	0+99	0+99		VC	
	0+99	2+22	2+22	—	PZ	
	2+22	2+22	2+22		DS	5627 + 56
			2+22	2+44	DS	5629
			2+44	—	DS	5629
	2+44	2+44	2+44	2+60	DS	
	2+60	3+62	3+62	—	VC	
	3+62	3+62	3+62	—	PZ	
	3+62	3+69	3+69	—	VC	
Well Spring Way	3+69	5+53				End

5305

Start Point: Beaverheart Cir / Sidewalk Inventory Beaverheart Dr.

End Point: Beaverheart Cir / Longhorne Ln

Direction of Increasing Station: Left

5535

Reason Codes for NON-COMPLIANCE:

Inspector Name: TWJ
Date: 4/10/19

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Beaverheart Dr.	0+00	1+51	1+51	1+51	VC	Greater than 1/2" Lip
	1+51	1+92	1+92	1+92	VC	" " " "
	1+92	2+80	2+80	2+80	VC	" " " "
	2+80	2+92	2+92	2+92	VC	" " " "
	2+92	4+47	4+47	4+54	CS	
	4+54	5+05	5+05	5+05	VC	" " " "
	5+05	5+49				
home #2 Alleyway						
3951/3900	0+00	0+92	0+92	0+92	VC	" " " "
	0+92	1+21	1+21	1+21	VC	" " " "
	1+21	3+01				
Beaverheart Cir / Lane.						Stop when we stopped at 4/9/14
301						

Trim
Trees

5535

Left

Sidewalk Inventory

Start Point: Morning Glory Trail @ Well Spring Way

End Point: Meadow Way

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/EB
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

5295

Total Number of Driveways: 7

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Well Spring Way	0+00	0+49	0+49	—	VC	
	0+49	1+60	1+60	—	VC	
	1+60	6+43	6+43	—	VC	
Meadow Way	6+43	6+48				End

5295

Sidewalk Inventory

Left

Start Point: Brownswallow Way @ Meadow Way

End Point: Meadow Way

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

5285

Total Number of Driveways: 7

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Meadow Way	0+00	0+14	0+14	—	PZ	
	0+14	0+84	0+84	1+04	CS	
	1+04	1+42	1+42	1+80	CS	
	1+80	3+20	3+20	—		11710
	3+20	4+07	4+07	—	VC	
	4+07	4+45	4+45	4+45	DS	11714
	4+45	4+79				End

5286

Sidewalk Inventory

Start Point: Meadow Way @ Barnswallow Way

Left

End Point: Barngate Cir

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB

Date: 4/10/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 0

5275

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Barnswallow Way	0+00	2+69	2+69	—	VC	—
	2+69	3+19	3+19	3+29	CS	
	3+29	3+39	3+39	—	VC	
	3+39	3+49	3+49	—	VC	
	3+49	3+59	3+59	—	VC	
	3+59	4+14				
Lilac Pl	0+00	2+61	2+61	—	VC	
	2+61	2+89				
Morning Glory Pl	0+00	2+64				End

5276

Sidewalk Inventory

Start Point: Hearthstone Trail @ Barngate Circle

End Point: Barngate Circle

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB

Date: 4/10/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 9

5265

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Barngate Cir	0+00	0+14	0+14	-	VC	
	0+14	1+52	1+52	-	VC	
	1+52	2+19	2+19	-	PO	Cleanout
	2+19	2+24	2+24	-	VC	
	2+24	3+03	3+03	-	VC	
	3+03	3+46	3+46	-	PZ	
	3+46	4+11	4+11	-	VC	
	4+11	4+49	4+49	-	VC	
	4+49	4+52	4+52	-	PO	Cleanout
	4+52	4+70	4+70	-	VC	
	4+70	4+96	4+96	-	VC	End
						Note - All DWs can be used as PZ

5265

Start Point:

Heatherfield Place @ Barngate Circle

End Point:

Barngate Circle

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: IT/CB
Date: 4/10/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 12

5255

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Barngate Cir	0+00	0+56	0+56	—	VC	
	0+56	1+97	1+97	—	VC	
	1+97	4+84	4+84	—	VC	
	4+84	4+95	4+95	—	PZ	
	4+95	5+58	5+58	5+83	CS	
	5+83	8+24	8+24	—	VC	
	8+24	9+27	9+27	—	VC	
	9+27	9+41				End
						Note All DW's can be used as PZ

5255

Sidewalk Inventory

Left

Start Point: Heatherfield Trail @ Barngate Circle

End Point: Barngate Circle

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JA/CB

Date: 4/10/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

5245

Total Number of Driveways: 8

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Barngate Cir	0+00	0+94	0+94	—	PO	
	0+94	0+94	0+94	—	VC	
	0+94	1+25	1+25	—	VC	
	1+25	1+57	1+57	—	VC	
	1+57	1+59	1+59	—	PO	Cleanout
	1+59	1+95	1+95	—	PO	"
	1+95	2+76	2+76	—	PO	"
	2+76	3+54	3+54	—	VC	
	3+54	3+64	3+64		PO	"
	3+64	4+08	4+08		VC	
	4+08	4+26	4+26			End
						Note - All DWs can be
						used as PZ

5245

Court

Start Point: Lilac Pl @ Meadow Way

Sidewalk Inventory

End Point: Meadow Way

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/10/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

5235

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Meadow Way	0+00	2+86	2+86	—	PZ	
	2+86	3+50	3+50	—	DS	11708
	3+50	3+50	3+50	3+86	CS	
	3+86	3+86	3+86	—	DS	11706
	3+86	3+86	3+86	4+49	CS	
	4+49	4+49	4+49	—	PZ	
	4+49	5+18	5+18	—	VC	
	5+18	5+82	5+82	6+05	CS	End

a

5235

5225

5226

Sidewalk Inventory

5215

Start Point: Mussetter Rd Old National Pike

Left

End Point: _____

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: RS/TH/CR

Date: 2/9/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Old Nat'l Pk	0+00	1+27	1+27	1+42	CS	
	1+42	2+34	2+34	2+54	CS	
	2+54	4+29				
Day Care ^{Ent}	0+00	2+11	2+11	2+11	VC	
	2+11	3+27				
Future Ent	0+00	0+25	0+25	0+25	VC	
	0+25	1+62	1+62	1+62	VC	
	1+62	2+72				
White Rose Drive	0+00	0+86	0+86	0+86	VC	
	0+00	0+52				
Dewey Way	0+00	1+77				
Hazelcraft	0+00	2+68				End

5215

Sidewalk Inventory

Start Point: Littleleaf St @ Hazelcroft Ave
 End Point: Hazelcroft Ave

Left

5205

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: RH/BA/CB
 Date: 4/9/14

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 7

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Hazelcroft Ave	0+00	1+42	1+42	1+42	VC	
	1+42	1+49	1+49	1+49	PO	
	1+49	1+49	1+81	1+89	CS	
	1+89	3+29	3+29	3+29	VC	
	3+29	4+25	4+25	4+25	VC	
	4+25	5+30	5+30	5+30	VC	
	5+30	5+71	5+71	5+71	VC	
	5+71	6+27				End

5205

Hazelcroft

Sidewalk Inventory

Start Point:

~~Hazelcroft Ave~~ @ Mussetter Rd

Left

5195

End Point:

Drexel Ave

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name:

RH/SH/CB

Date:

4/9/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 3

Street Name:

Compliant

Non-Compliant

Street Name:	From	To	From	To	Code	Comments
Mussetter Rd	0+00	1+53	1+13	1+13	VC	
	0+00	0+43	0+43	0+43	VC	
	0+43	1+12	1+12	1+12	VC	
	1+12	1+12	1+59	1+59	VC	
	1+59	2+25				
Littleleaf Ct	0+00	1+51	1+51	1+51	VC	
	1+51	2+22				End

5195

Sidewalk Inventory

5185

(L+)

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB

Date: 4/9/14

PP Pinch Point

PO Protruding Object

CS Panel Cross Slope

Total Number of Driveways:

6

Compliant

To

From

To

Code

Comments

[illegible]

15185

Sidewalk Inventory

Start Point: Drexel Ave @ Hazeltown Ave

End Point: White Rose Dr

5175

Direction of Increasing Station: (R)

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/9/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: 15

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Hazeltown Ave	0+00	0+53	0+53	0+53	VC	
	0+53	0+53	1+03	1+03	DS	5829
	1+03	1+96	1+96	1+96	DS	5827
	1+96	1+96	2+90	2+90	VC	5825
	2+90	2+90	3+45	4+24	CS	
	4+24	4+24	5+05	5+05	DS	5821
	5+05	5+85	5+85	5+85	DS	5819
	5+85	7+10	7+10	7+22	CS	
	7+22	7+33	7+33	7+33	DS	5815
	7+33	10+62	10+62	10+62	VC	
	10+62	10+81	10+81	10+81	VC	
	10+81	10+81	11+26	11+39	CS	
	11+39	11+15	11+15	11+15	DS	
	11+ ³⁹ 15	11+86	11+86	11+86	VC	
	11+86	13 ²⁷	12+87	12+87	VC	End

5175

Sidewalk Inventory

Start Point: Whiterose Dr @ Mussetter Rd

End Point: Meyer Ave

Left

SIGS

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: BH/H/CB

Date: 4/9/14

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

5+2 = 7

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Mussetter Rd	0+00	0+09	0+09	0+09	VC	
	0+09	0+09	0+45	0+60	CS	
	0+60	1+20	1+20	1+40	CS	
	1+40	1+66	1+66	2+37	CS	
	2+37	7+24	7+24	7+24	DS	10413
	7+24	7+76	7+76	7+76	VC	
	7+76	9+43	9+43	9+43	DS	10407
	9+43	9+83	9+83	9+83	VC	
	9+83	15+29	15+29	15+29	DS	10405
	15+29	17+68				End

5165

Sidewalk Inventory

Start Point: Jordan Blvd @ Old National Pike

End Point: Meyer Ave

Left

5155

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: RH/SH/CB
 Date: 4/9/14

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 23

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Old National Pike	0+00	0+12	0+12	0+55	CS	
	0+55	4+72	4+72	4+72	VC	
	4+72	5+75	5+75	5+75	D	5606
	5+75	8+25	8+25	8+25	VC	
	8+25	12+78	12+78	12+78	VC	
	12+78	17+02	17+02	17+02	VC	
	17+02	18+31	18+31	18+31	PO	
	18+31	19+34	19+34	19+34	VC	
	19+34	19+93	19+93	19+93	VC	
	19+93	20+24	20+24	20+24	VC	
	20+24	21+04				End

5155

1 of 2

Left

Sidewalk Inventory

Start Point: Talbot Dr. @ Royal Oak Dr

End Point: Wilcomico Dr

5145a

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH / CB
Date: 4/9/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 19

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Royal Oak	0+00	0+38	0+38	0+38	DS	5502
	0+38	0+69	0+69	0+69	DS	5504
	0+69	0+71	0+71	0+72	CS	
	0+72	0+83				
Phils Rd	0+00	0+23	0+23	0+23	DS	5508
	0+23	0+27	0+27	0+30	CS	
	0+30	0+43	0+43	0+58	CS	
	0+58	1+18	1+18	1+18	VC	
	1+18	1+43	1+43	1+67	CS	
	1+67	1+81	1+81	1+81	VC	
	1+81	1+88	1+88	1+88	DC	5514
	1+88	1+97	1+97	1+97	CS	
	1+97	2+39	2+39	2+39	DC	5516
	2+39	2+39	2+39	3+06	CS	

5145a

2072

Left

Sidewalk Inventory

Start Point: Talbot Dr @ Royal Oak Dr

End Point: Wicomica Dr

5145b

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CD
Date: 4/9/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	3+00	3+00	3+00	3+00	DS	5518
	3+13	3+13	3+13	3+13	VC	
	3+13	3+13	3+13	3+57	CS	
	3+57	4+47	4+47	4+84	CS	
	4+84	4+84	4+84	4+84	VC	
	4+84	5+05	5+05	5+05	VC	
	5+05	5+65	5+65	5+77	CS	
	5+77	6+64	6+64	6+64	DS	5532
	6+64	6+95	6+95	7+34	CS	
	7+34	7+42	7+42	7+42	DS	5534
	7+42	7+42	7+73	7+73	CS	
	7+73	7+79	7+79	7+79	DS	5536
	7+79	8+11	8+11	8+32	CS	
	8+32	10+20				End

5145b

Right

1 of 3

Sidewalk Inventory
Start Point: Wicomico Dr @ Phils Rd.

5135a

End Point: Talbot Rd

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
Date: 4/9/14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 23

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Phils Rd	0+00	0+05	0+05	0+05	DS	5515
	0+05	0+11	0+11	0+11	CS	
	0+11	0+43	0+43	0+43	VC	
	0+43	0+84	0+84	0+84	VC	
	0+84	0+93	0+93	0+93	DS	5506
	0+93	1+11	1+11	1+11	CS	
	1+11	2+75	2+75	2+75	DS	5512
	2+75	3+37	3+37	3+37	PO	
	3+37	3+41	3+41	3+41	DS	5514
	3+41	3+41	3+41	3+76	CS	
	3+76	3+76	3+76	3+76	DS	5516
	3+76	3+76	3+76	3+97	CS	
	3+97	4+32	4+32	4+47	DS	5518
	4+47	4+47	4+47	4+61	CS	

5135a

5135b

Sidewalk Inventory
 Start Point: Wicomica Dr @ Phils Rd
 End Point: Talbot Rd

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH/CB
 Date: 4/9/14

- VC Vertical Clearance
- PP Pinch Point
- PZ Passing Zone
- PO Protruding Object
- DS Driveway Cross Slope
- CS Panel Cross Slope
- WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
	4+61	4+75	4+75	4+95	CS	
	4+95	5+87	5+87	5+87	DS	5522
	5+87	5+87	5+87	6+02	VC	
	6+02	6+37	6+37	6+52	VC	
	6+52	6+52	6+52	6+83	DS	5524
	6+83	6+83	6+83	6+98	CS	
	6+98	6+98	6+98	6+98	DS	5526
	6+98	7+70	7+70	8+20	CS	
	8+20	8+20	8+20	8+20	DS	5530
	8+20	8+20	8+20	8+45	CS	
	8+45	9+07	9+07	9+28	CS	
	9+28	10+99	10+99	10+99	CS	
	10+99	11+07	11+07	11+07	DS	5540
	11+07	11+07	11+07	11+20	CS	

5135b

Start Point: Wisconsin Dr @ Phils Rd

5135c

End Point: Labot Rd

Direction of Increasing Station:

Reason Codes for NON-COMPLIANCE:

Inspector Name: JH / CB

Date: 4/9/14

VC Vertical Clearance

PP Pinch Point

PZ: Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

· Total Number of Driveways:

Street Name:

Compliant

From

To

Non-Compliant

From

To

Code

Comments

[illegible]

151450

Left

5125

Wicomico Dr

Reason Codes for NON-COMPLIANCE:

JH /CB

419/19

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 1

Non-Compliant

From

From

Code

[illegible]

5125

Sidewalk Inventory
 Start Point: Carrage Hill St / Dunraven St
 End Point: Carrage Hill Drive
 Direction of Increasing Station: Left

Inspector Name: Tim W
 Date: 4-9-14

Reason Codes for NON-COMPLIANCE:
 VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object
 DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Dunraven St			0+00	0+17	CS	
	0+17	0+63	0+63	1+05	CS	
	1+05	2+50				
Cornwell meadow	0+00	1+17	1+17	1+29	CS	
	1+29	3+64	3+64	3+64	VC	greater than 1/2" Lip
	3+64	4+06	4+06	4+06	VC	" "
	4+06	5+13				
Alley @ 9442	0+00	1+14				
Carrage Hill Dr						

Direction of Increasing Station: Right

Total Number of Driveways: 0

Non-Compliant

Comments

5105

Left

Start Point: Dunraven St / Prospect Hill Pl

5095

End Point: Carriage Hill DriveDirection of Increasing Station: Left

Reason Codes for NON-COMPLIANCE:

Inspector Name: Tim Wes
Date: 4-9-14

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Prospect Hill Pl.			0+00	0+4	CS	
	0+4	0+46	0+46	0+50	CS	
	0+50	0+83	0+83	1+00	CS	
	1+00	1+05	1+05	1+19	CS	
Alley@ 9432	1+19	4+17				
	0+00	3+13				
Alley@ 3884	0+00	0+84	0+84	0+88	CS	
Carriage Hill Dr.	0+88	1+36				

Start Point: Addison Woods Road / Carriage Hill Street

End Point: Sugarloaf Pkwy

(Right)

5085

Direction of Increasing Station: _____

Inspector Name: T/w

Date: 7-9-19

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 1

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Carriage Hill St.	0+00	2+48				
Prospect Hill Pl.	0+00	0+16	0+16	0+97	CS	
	0+97	1+06				
Alley (#3948)	0+60	1+34	1+34		VC	
	1+34	1+97	1+97		VC	
	1+97	2+17	2+17	2+21	CS	
	2+21	2+55	2+55		PO	TREE
	2+55	3+62	3+62		VC	
	3+62	3+67	3+67	5+04	CS	
Alley (#3854)	0+00	1+26				
Sugarloaf Pkwy	1+26					

5085

Start Point: Prospect Hill Place / Dunraven St. Sidewalk Inventory
 End Point: Addison Woods Road

(Left)

5075

Direction of Increasing Station: _____

Reason Codes for NON-COMPLIANCE:

Inspector Name: T/W
 Date: 4-9-14

VC Vertical Clearance
 PP Pinch Point
 PZ Passing Zone
 PO Protruding Object

DS Driveway Cross Slope
 CS Panel Cross Slope
 WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Dunraven St.	0+00	0+20	0+20	0+32	CS	
	0+32	0+56	0+56	0+65	CS	
	0+65	1+09				
Alley (#9440)	0+60	0+89				
Alley (#9446)	0+60	0+89	0+89		VC	
	0+89	2+10				
Addison Woods Rd.	2+10					

5075

(Right)

Start Point:

Shawfield Lane / Sugarloaf Pkwy

Sidewalk Inventory

5065

End Point:

Prospect Hill Place

Direction of Increasing Station:

Inspector Name:

Date:

T/W

4-9-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Sugarloaf Pkwy	0+00	0+11	0+11		VC	
	0+11	0+95	0+95		PO	TREE
			0+95	1+04		
	1+04	1+26				
Alley (#3918)	0+00	1+05	1+05	1+16	CS	
	1+16	1+28	1+28	1+32	CS	
	1+32	2+79				
Alley (#3920)	0+00	0+54	0+54		VC	GAP
	0+54	1+50	1+50		VC	
	1+50	1+72	1+72	1+80	CS	
	1+80	2+63	2+63	2+71	CS	
	2+71	3+03	3+03	3+26	CS	
	3+26	3+92	3+92	4+01	CS	
Alley (#3924)	0+00	0+96	0+96		VC	
	0+96	1+00	1+00	1+10	CS	
Prospect Hill PL.	1+10					

5065

Sidewalk Inventory
Start Point: Braveheart Circle / Braveheart Drive

End Point: Longhope Lane

Direction of Increasing Station: Left

5055a

left
pg. 1 of 2
610

Reason Codes for NON-COMPLIANCE:

Inspector Name: D.T.W.
Date: 4-9-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 16

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Braveheart cir			0+00	0+10	CS	> 1/2"
	0+10	0+20	0+20	0+20	VC	gas valve box
			0+20	0+42	CS	" "
	0+42	2+12	2+12	2+12	PO	Trim tree
	2+12	2+26	2+26	2+40	CS	" "
	2+40	2+55	2+55	2+55	PO	Trim tree
	2+55	2+92	2+92	2+92	VC	" "
	2+92	3+13	3+13	3+13	VC	" "
	3+13	3+30	3+30	3+30	VC	" "
	3+30	3+42	3+42	3+42	VC	" "
	3+42	3+46	3+46	3+46	VC	" "
	3+46	3+70	3+70	3+70	VC	" "
	3+70	4+15	4+15	4+15	VC	" "
	4+15	5+81	5+81	5+81	VC	" "

5055a

50550

Start Point:

Brynhant DR / Longhope Ln

Sidewalk Inventory

5045

909

117

End Point:

Direction of Increasing Station:

Left

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

DS Driveway Cross Slope

PP Pinch Point

CS Panel Cross Slope

PZ Passing Zone

WP Width of Panel

PO Protruding Object

Inspector Name:

WJ

Date:

4/9/14

Total Number of Driveways:

0

Street Name:

Compliant

Non-Compliant

From

To

From

To

Code

Comments

Longhope Ln.	0+00	0+179	1+79	1+79	VC	Greater than 1/2" Gap.
	1+79	2+26	2+26	2+26	VC	" " " "
	2+26	3+14	3+14	3+14	VC	" " " " " "
	3+14	3+39	3+39	3+39	VC	" " " "
	3+39	4+49	4+49	4+49	VC	" " " "
	4+49	5+35	5+35	5+35	VC	" " " "
	5+35	5+64	5+64	5+64	VC	" " " "
	5+64	6+88	6+88	6+88	VC	" " " "
	6+88	9+09				
Alleyway 3860 3928	0+00	0+41	0+41	0+41	VC	" " " " " "
	0+41	0+61	0+61	0+65	CS	
	0+65	1+17				
Brynhant Dr.						
117						

3860

5045

Direction of Increasing Station:

Start Point: Brave heart Ave / Brave Broadwood Dr.

5035

Inspector Name:

Date:

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance

PP Pinch Point

PZ Passing Zone

PO Protruding Object

DS Driveway Cross Slope

CS Panel Cross Slope

WP Width of Panel

Total Number of Driveways:

Street Name:

Compliant

From

To

Non-Compliant

From

To

Code

Comments

[illegible]

5035

Start Point: ~~Braveheart~~ Sidewalk Inventory DE / Long Hope LA

5015a

End Point:

Direction of Increasing Station:

Right

Inspector Name:

Date:

Don Titus
4-9-14

Reason Codes for NON-COMPLIANCE:

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: 0

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Long Hope LA	0+00	0+19	0+19	0+19	PO	Trim Branch
	0+19	2+15				
Alley @ 3839	0+00	0+30	0+30	0+30	VC	greater than 1/2" Lip
	0+30	0+39	0+39	0+39	PO	sewer clean out
	0+39	0+70	0+70	0+70	VC	" "
	0+70	1+40	1+40	1+40	VC	" "
	1+40	2+77	2+77	2+87	CS	
Alley @ 3855	0+00	0+17	0+17	0+17	VC	" "
	0+17	0+66	0+66	0+66	VC	" "
	0+66	0+94	0+94	0+94	VC	" "
	0+94	1+03	1+03	1+03	VC	" "
	1+03	2+66	2+66	2+66	VC	" "
	2+66	3+03	3+03	3+03	VC	" "
	3+03	4+25				

5015a

Sidewalk Inventory

Start Point: Braveheart Dr / Longhope LA

501sb

End Point: _____

Direction of Increasing Station: Right

Reason Codes for NON-COMPLIANCE:

Inspector Name: D. WIT
Date: 4-9-14

VC Vertical Clearance
PP Pinch Point
PZ Passing Zone
PO Protruding Object

DS Driveway Cross Slope
CS Panel Cross Slope
WP Width of Panel

Total Number of Driveways: _____

Street Name:	Compliant		Non-Compliant		Code	Comments
	From	To	From	To		
Alley@ 3879			0+00	0+00	VC	greater than 1/2" lip
	0+00	0+51	0+51	0+51	VC	" "
		0+51	0+59	0+59	VC	" "
	0+59	0+96	0+96	0+96	VC	" "
	0+96	1+05	1+05	1+05	VC	" "
Braveheart Cir.	1+05	1+68	1+68	1+71	CS	
1+71						

501sb